



REPUBLIC OF KENYA

**MINISTRY OF TRANSPORT, INFRASTRUCTURE, HOUSING
AND URBAN DEVELOPMENT,**

**STATE DEPARTMENT
OF PUBLIC WORKS
P. O. Box 30071- 00100**

NAIROBI

Tel: +254-205-339-61

(SUPPLIES BRANCH)

SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

CLOSING DATE: 11th October, 2016

TIME: 10:00AM (EAST AFRICAN TIME)

A complete tender document can be downloaded from supplier portal
<https://supplier.treasury.go.ke>

TABLE OF CONTENTS

	PAGE
SECTION I INVITATION TO TENDER	1
SECTION II INSTRUCTIONS TO TENDERERS	2
SECTION III GENERAL CONDITIONS OF CONTRACT	18
SECTION IV SPECIAL CONDITIONS OF CONTRACT	24
SECTION V PRICE SCHEDULE FOR GOODS	27
SECTION VI TECHNICAL SPECIFICATIONS	28
SECTION VII EVALUATION CRITERIA	29
SECTION VIII STANDARD FORMS	30
8.1 FORM OF TENDER	31
8.2 CONFIDENTIAL BUSINESS QUESTIONNAIRES FORMS	32
8.3 TENDER SECURITY FORM	33
8.4 CONTRACT FORM	34
8.5 PERFORMANCE SECURITY FORM	35
8.6 BANK GUARANTTE FOR ADVANCE PAYMENT FORM	36
8.7 MANUFACTURER’S AUTHORIZATION FORM	37
8.8 LETTER OF NOTIFICATION OF AWARD	38

SECTION I - INVITATION TO TENDER
DATE: 19th September 2016

TENDER REF NO.: - SB/9/2016/2017

TENDER NAME: - Supply of Microbus Diesel

- 1.1 The **Principal Secretary, State Department of Public Works, Ministry of Transport and Infrastructure, Housing and Urban Development Works** invites sealed bids from eligible candidates for **Supply of Microbus Diesel to Government Ministries / Departments & Institutions for a period of Two (2) Year commencing on the date of Contract Signing.**
- 1.2 Interested eligible candidates may obtain further information from **supplier portal <https://supplier.treasury.go.ke>** and inspect the tender documents at the Office of **the Officer-In-Charge, Supplies Branch, Likoni Road, Industrial Area, P. O. Box 30071 - 00100, Nairobi** during normal working hours.
- 1.3 A complete set of tender documents may be obtained by interested candidates upon payment of non-refundable fees of **Kshs. 1,000 (Kenya Shillings One Thousand Only)** in cash or Bankers cheque payable to **The Officer-In-Charge, Supplies Branch, Likoni Road, Industrial Area, P. O. Box 30071 - 00100, Nairobi.**
- 1.4 Completed tender documents are to be submitted online or enclosed in plain sealed envelopes marked with tender reference number and be deposited in the Tender Box at **Supplies Branch, Likoni Road, Industrial Area, Nairobi** or be addressed to **The Officer-In-Charge, Supplies Branch, Likoni Road, Industrial Area, P. O. Box 30071 - 00100, Nairobi** so as to be received on or before **11th October, 2016** at 10.00 am (East African Time).
- 1.5 Tenderers shall be required to furnish a Tender / Bid Security of **KShs. 100,000 (Kenya Shillings One Hundred Thousand Only)** payable in bankers' cheque or cash to the Permanent Secretary, Ministry of Public Works or a bid bond from a **Commercial Bank / Eligible Insurance Company** in the format provided in the Tender Documents to remain in force for a period of **One Hundred and Fifty (150) days** from the closing date of the tender.
- 1.6 Prices quoted should be net inclusive of all taxes and delivery must be in Kenya Shillings and shall remain valid for **One Hundred and Twenty (120) days** from the closing date of the tender.
- 1.7 Tenders will be opened immediately thereafter in the presence of the Candidates or their representatives who choose to attend at **Supplies Branch, Likoni Road, Industrial Area, Nairobi.**

OFFICER IN CHARGE
SUPPLIES BRANCH
FOR: PRINCIPAL SECRETARY
STATE DEPARTMENT OF PUBLIC WORKS

SECTION II**- INSTRUCTIONS TO TENDERERS****Table of Clauses**

	Page
2.1 Eligible tenderers.....	3
2.2 Eligible goods.....	3
2.3 Cost of tendering.....	3
2.4 Contents of Tender document.....	3
2.5 Clarification of documents.....	4
2.6 Amendment of documents.....	4
2.7 Language of tender.....	4
2.8 Documents comprising the tender.....	5
2.9 Tender forms.....	5
2.10 Tender prices.....	5
2.11 Tender currencies.....	6
2.12 Tenderers eligibility and qualifications.....	6
2.13 Goods' eligibility and conformity to Tender Documents.....	6
2.14 Tender security.....	7
2.15 Validity of tenders.....	7
2.16 Format and signing of tenders.....	8
2.17 Sealing and marking of tenders.....	8
2.18 Deadline for submission of tender	9
2.19 Modification and withdrawal of tenders....	9
2.20 Opening of tenders.....	9
2.21 Clarification of tenders.....	10
2.22 Preliminary examination.....	10
2.23 Conversion to single currency.....	10
2.24 Evaluation and comparison of tenders.....	11
2.25 Preference.....	14
2.26 Contacting the procuring entity.....	14
2.27 Award of contract.....	14
(a) Post qualification.....	14
(b) Award criteria.....	15
(c) Procuring entity's right to vary quantities...	15
(d) Procuring entity's right to accept or Reject any or all tenders	15
2.28 Notification of award.....	15
2.29 Signing of contract.....	15
2.30 Performance security.....	16
2.31 Corrupt or fraudulent practices.....	16

SECTION II - INSTRUCTIONS TO TENDERERS

2.1 Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Invitation to Tender. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.
- 2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

2.2 Eligible Goods

- 2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of goods is distinct from the nationality of the tenderer.

2.3 Cost of Tendering

- 2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.
- 2.3.2 The price to be charged for the tender document shall not exceed Kshs.5,000/=
- 2.3.3 All firms found capable of performing the contract satisfactorily in accordance to the set prequalification criteria shall be pre-qualified.

2.4 Contents of Tender Documents

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

- 2.4.1 The tender document comprises the documents listed below and addendum issued in accordance with clause 2.6 of these instructions to Tenderers
- (i) Invitation to Tender
 - (ii) Instructions to tenderers
 - (iii) General Conditions of Contract
 - (iv) Special Conditions of Contract
 - (v) Schedule of requirements
 - (vi) Technical Specifications
 - (vii) Tender Form and Price Schedules
 - (viii) Tender Security Form
 - (ix) Contract Form
 - (x) Performance Security Form
 - (xi) Bank Guarantee for Advance Payment Form
 - (xii) Manufacturer's Authorization Form
 - (xiii) Confidential Business Questionnaire (S.33)
- 2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.5 Clarification of Documents

- 2.5.1 A prospective tenderer requiring any clarification of the tender document may notify the Procuring entity in writing or by post at the entity's address indicated in the Invitation to Tender. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the Procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the Source of inquiry) will be sent to all prospective tenderers that have received the tender document.
- 2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

2.6 Amendment of Documents

- 2.6.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.
- 2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.
- 2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

Preparation of Tenders

2.7 Language of Tender

2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

2.8 Documents Comprising of Tender

2.8.1 The tender prepared by the tenderers shall comprise the following components: -

- (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
- (b) documentary evidence established in accordance with paragraph 2.1.2 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
- (c) documentary evidence established in accordance with paragraph 2.2.1 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
- (d) tender security furnished in accordance with paragraph 2.14

2.9 Tender Forms

2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

2.10 Tender Prices

2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract

2.10.2 Prices indicated on the Price Schedule shall be entered separately in the following manner;

- (i) the price of the goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex showroom, or off-the-shelf, as applicable), including all customs duties and sales and other taxes already paid or payable:
- (ii) charges for inland transportation, insurance, and other local costs incidental to delivery of the goods to their final destination; and

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

2.10.1 Prices quoted by the tender shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22

2.10.2 The validity period of the tender shall be 120 days from the date of opening of the tender.

2.11 Tender Currencies

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

2.12 Tenderers Eligibility and Qualifications

2.12.1 Pursuant to paragraph 2.1 the tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.

2.12.2 The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1.

2.12.3 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the Procuring entity's satisfaction;

(a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.

(b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;

(c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

2.13 Goods Eligibility and Conformity to Tender Documents

2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract

2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.

2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

- (a) a detailed description of the essential technical and performance characteristic of the goods;
- (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of One (1) year, following commencement of the use of the goods by the Procuring entity; and
- (c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.

2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

2.14 Tender Security

- 2.14.1 The tenderer shall furnish, as part of its tender, a tender security Kshs. 100,000.00 for each Tender.
- 2.14.2 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7
- 2.14.3 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of a bank guarantee or a bank draft issued by a reputable bank located in Kenya or abroad, or a guarantee issued by a reputable insurance company in the form provided in the tender documents or another form acceptable to the Procuring entity and valid for thirty (30) days beyond the validity of the tender.
- 2.14.4 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non-responsive, pursuant to paragraph 2.22
- 2.14.5 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible as but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.
- 2.14.6 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28
- 2.14.7 The tender security may be forfeited:
 - (a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form; or

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

- (b) in the case of a successful tenderer, if the tenderer fails:
 - (i) to sign the contract in accordance with paragraph 2.27
 - or
 - (ii) to furnish performance security in accordance with paragraph 2.28

2.15 Validity of Tenders

- 2.15.1 Tenders shall remain valid for 120 days or as specified in the Invitation to Tender after the date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non-responsive.
- 2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

2.16 Format and Signing of Tender

- 2.16.1 The Procuring entity shall prepare two copies of the tender, clearly marking each "ORIGINAL TENDER" and "COPY OF TENDER," as appropriate. In the event of any discrepancy between them, the original shall govern.
- 2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for unamended printed literature, shall be initialed by the person or persons signing the tender.
- 2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

Submission of Tenders

2.17 Sealing and Marking of Tenders

- 2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.
- 2.17.2 The inner and outer envelopes shall:
 - (a) be addressed to the following address:
 - The Officer-in - Charge,
 - Supplies Branch,
 - State Department of Public Works,
 - P. O. Box 30071-00100,

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

LIKONI ROAD.

(b) Bear, tender number and name in the Invitation for Tenders and the words, “DO NOT OPEN BEFORE,” **11th October, 2016, 10.00 am East African Time (as per Tender Notice).**

2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared “late”.

2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender’s misplacement or premature opening.

2.18 Deadline for Submission of Tenders

Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 no later than **11th October, 2016, 10.00 am East African Time (as per Tender Notice).**

2.18.1 The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

2.19 Modification and Withdrawal of Tenders

2.19.1 The tenderer may modify or withdraw its tender after the tender’s submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring prior to the deadline prescribed for submission of tenders.

2.19.2 The Tenderer’s modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.

2.19.3 No tender may be modified after the deadline for submission of tenders.

2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer’s forfeiture of its tender security, pursuant to paragraph 2.14.7

2.19.5 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.

2.19.6 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

Opening and Evaluation of Tenders

2.20 Opening of Tenders

- 2.20.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, at **10.00 am East African Time on 11th October, 2016 (as per Tender Notice)** and in the location specified in the Invitation to Tender.
- 2.20.2 The tenderers' representatives who are present shall sign a register evidencing their attendance.
- 2.20.3 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.
- 2.20.4 The Procuring entity will prepare minutes of the tender opening.

2.21 Clarification of Tenders

- 2.21.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.
- 2.21.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.22 Preliminary Examination

- 2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.
- 2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail.
- 2.22.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.
- 2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

2.22.5 If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non-conformity.

2.23 Conversion to Single Currency

2.23.1 Where other currencies are used, the procuring entity will convert these currencies to Kenya Shillings using the selling exchange rate on the rate of tender closing provided by the Central Bank of Kenya.

2.24 Evaluation and Comparison of Tenders

2.24.1 The Procuring entity will evaluate and compare the tenders, which have been determined to be substantially responsive, pursuant to paragraph 22.

2.24.2 The Procuring entity's evaluation of a tender will exclude and not take into account:

- (a) in the case of goods manufactured in Kenya or goods of foreign origin already located in Kenya, sales and other similar taxes, which will be payable on the goods if a contract is awarded to the tenderer; and
- (c) any allowance for price adjustment during the period of execution of the contract, if provided in the tender.

2.24.3 The comparison shall be of the ex-factory/ex-warehouse/off-the-shelf price of the goods offered from within Kenya, such price to include all costs, as well as duties and taxes paid or payable on components and raw material incorporated or to be incorporated in the goods.

2.24.4 The Procuring entity's evaluation of a tender will take into account, in addition to the tender price and the price of incidental services, the following factors, in the manner and to the extent indicated in paragraph 23.5 and in the technical specifications:

- (a) delivery schedule offered in the tender;
- (b) deviations in payment schedule from that specified in the Special Conditions of Contract;
- (c) the cost of components, mandatory spare parts, and service;
- (d) the availability in Kenya of spare parts and after-sales services for the equipment offered in

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

the tender;

2.24.5 Pursuant to paragraph 2.24.4 the following evaluation methods will be applied:

(a) *Delivery schedule.*

(i) The Procuring entity requires that the goods under the Invitation for Tenders shall be delivered at the time specified in the Schedule of Requirements. Tenders offering deliveries longer than the procuring entity's required delivery time will be treated as non-responsive and rejected.

(b) *Deviation in payment schedule.*

Tenderers shall state their tender price for the payment of schedule outlined in the special conditions of contract. Tenders will be evaluated on the basis of this base price. Tenderers are, however, permitted to state an alternative payment schedule and indicate the reduction in tender price they wish to offer for such alternative payment schedule. The Procuring entity may consider the alternative payment schedule offered by the selected tenderer.

(c) *Spare parts and after sales service facilities.*

Tenderers must offer items with service and spares parts backup. Documentary evidence and locations of such back-up must be given.

(d) *Bid Evaluation Criteria*

The specifications of the item(s) offered by the bidder will be examined and compared with the requirement's specifications and check lists drawn up for all items showing the main requirements specified and whether or not each bid complies with the requirements.

Certain deviations from the required specification are critical to the performance (or capacity) or efficient operation of the equipment concerned. Deviations of this type are classified as major deviations. Bids with one or more major deviations from the requirements will in all cases be rejected as technically non-responsive. Deviation from any requirement listed as mandatory in the technical specifications is considered a major deviation. Deviations which are not critical to the performance or efficient operation of the equipment are considered minor and will not result in rejection of the bid but the bidder will lose points on such deviations.

(e) *Technical Evaluation*

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

A point system will be used to rate all the technically responsive bidders with the maximum score being **60 points** distributed as below.

(i) Technical compliance

Determined by the information given by the tenderer. Minor deviation from the specification may be allowed. A maximum of **30 points** will be allotted to the tenderer whose equipment meet all the specifications.

(ii) Spare parts availability

This is to be determined by the information supplied by the tenderer as regards to local firms that deal with stocking of spare parts for the make of equipment and physical check on these dealers may be done to confirm availability of spares whose equipment spare parts dealership is proven that will earn **5 points**.

(iii) Workshop facilities and after sales service

This is to be determined from information supplied by the tenderer as well as physical checks and the procuring entities past experience. A maximum of **5 points** will be allotted for quantity and quality of servicing facilities as well as efficiency and reliability of the service rendered by the appointed local agent.

(iv) Performance rating

A maximum of **5 points** will be allotted to tenderers on the basis of recorded past performance of equipment in the Country. Points covered will be reliability, life expectancy and suitability for local working conditions and tenderer's past record. A point will be awarded for each of the factors.

(v) Manufacturer's warranty

This is to be determined from information supplied by the tenderer. This will be on the duration of warranty with a maximum of **5 points** being allotted to the tenderer with a warranty, as indicated in that particular specification. This is important and mandatory as failure to provide warranty will mean automatic disqualification. Warranty has to be supported by equipment manufacturer.

(vi) Concurrence with vehicle and plant standardisation

A maximum of **2 points** will be allotted to tenderers on the basis of standardisation with

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

current Government fleet, with the most populous make scoring 2 points and all other tenderers by proportion to their numbers.

(vii) Dealership

To be determined by information supplied by the tenderer as well as past experience of the procuring entity. Proven dealership will be allotted **3 points** and equipment with no local dealer or agent will be disqualified.

(viii) Environmental compatibility will earn a maximum of **5 points** basing on NEEMA and other international standards.

(f) ***Commercial Evaluation***

Only bids scoring **45 points (75%)** or more in the technical evaluation will be considered for further commercial evaluation. For the purpose of determining the lowest evaluated bid, the procuring entity shall take factors other than the price into account in the following manner. The lowest financial bid will be allotted a maximum of 40 points and the other bids will be allotted points in proportion to their bid prices as shown here below:

$$\frac{\text{Lowest bid} \times 40}{\text{Bid price}}$$

Bids will be ranked according to their combined technical (St) and financial (sf) scores using weights.

T = Weight given to the technical evaluation, maximum 60%;

P = the weight given to the financial evaluation, maximum point 40%.

T+P = 100%.

Sf is determined by the following formular.

$$\mathbf{Sf} = \frac{\text{Lowest Bid}}{\text{Bid price}} \times 40$$

$$\mathbf{S} = \text{St} + \mathbf{Sf}$$

S being the total combined weighted financial and technical score.

Firm will be ranked as per the combined financial and technical scores.

2.25 Preference

2.25.1 Preference where allowed in the evaluation of tenders shall not exceed 15%

2.26 Contacting the Procuring entity

2.26.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.

2.26.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

2.27 Award of Contract

(a) Post-qualification

2.27.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.

2.27.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.

2.27.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

(b) Award Criteria

2.27.4 Subject to paragraph 10, 23 and 28 the Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

(c) Procuring entity's Right to Vary quantities

2.27.5 The Procuring entity reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions.

(d) Procuring entity's Right to Accept or Reject Any or All Tenders

2.27.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action.

2.28 Notification of Award

2.28.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.

2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties.

2.28.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the Procuring entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14

2.29 Signing of Contract

2.29.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the Procuring entity will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.

2.29.2 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

2.30 Performance Security

2.30.1 Within Thirty (30) days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.

2.30.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

2.31 Corrupt Fraudulent Practices

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

2.31.1 The Procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts. In pursuance of this policy, the Procuring entity:-

- (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" means the offering, giving, receiving or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution; and
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring entity, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Procuring entity of the benefits of free and open competition;
- (b) will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
- (c) will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded any contract if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a contract.

2.31.2 The procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.

2.31.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

2.31.4 Furthermore, tenderers shall be aware of the provision stated in the General Conditions of Contract.

Section III - General Conditions of Contract

Table of Clauses

	Page
3.1 Definitions	17
3.2 Application	17
3.3 Country of Origin	17
3.4 Standards	17
3.5 Use of Contract documents and information	17
3.6 Patent Rights	18
3.7 Performance security	18
3.8 Inspection and Tests	18
3.9 Packing	19
3.10 Delivery and documents	19
3.11 Insurance	19
3.12 Payment	19
3.13 Prices	19
3.14 Assignments	19
3.15 Sub contracts	20
3.16 Termination for default	20
3.17 Liquidated damages	20
3.18 Resolution of Disputes	20
3.19 Language and law	20
3.20 Force Majeure	20

Section III - General Conditions of Contract

3.1 Definitions

3.1.1 In this Contract, the following terms shall be interpreted as indicated:

- (a) "The Contract" means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) "The Contract Price" means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations.
- (c) "The Goods" means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
- (d) "The Procuring entity" means the organization purchasing the Goods under this Contract.
- (e) "The tenderer" means the individual or firm supplying the Goods under this Contract.

3.2 Application

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement of goods.

3.3 Country of Origin

3.3.1 For purposes of this Clause, "origin" means the place where the Goods were mined, grown, or produced.

3.2.2 The origin of Goods and Services is distinct from the nationality of the tenderer.

3.4 Standards

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

3.5 Use of Contract Documents and Information

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

- 3.5.1 The Candidate shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision thereof; or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.
- 3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 5.1 above.
- 3.5.3 Any document, other than the Contract itself; enumerated in paragraph 5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity.

3.6 Patent Rights

- 3.5.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country.

3.7 Performance Security

- 3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance Security in the amount specified in Special Conditions of Contract.
- 3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.
- 3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring entity and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the Procuring entity, in the form provided in the tender documents.
- 3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract.

3.8 Inspection and Tests

- 3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing, in a timely manner, of the identity of any representatives retained for these purposes.
- 3.8.2 The inspections and tests may be conducted on the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.
- 3.8.3 Should any inspected or tested Goods fail to conform to the Specifications, the Procuring entity may reject the Goods, and the tenderer shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Procuring entity.
- 3.8.4 The Procuring entity's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival shall in no way be limited or waived by reason of the Goods having previously been inspected, tested, and passed by the Procuring entity or its representative prior to the Goods' delivery.
- 3.8.5 Nothing in paragraph 8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

3.9 Packing

- 3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.
- 3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract.

3.10 Delivery and Documents

- 3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract.

3.11 Insurance

- 3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery in the manner

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

specified in the Special conditions of contract

3.12 Payment

3.12.1 Payments shall be made promptly by Government Ministries, Departments or Institutions upon delivery of items procured through purchase orders by the respective entities.

3.13 Prices

3.13.1 Prices shall be net inclusive of all taxes and no variation of prices; except in the case of variation of taxes or other charges payable to the Government.

3.13.2 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.

3.13.3 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)

3.13.4 Where contract price variation is allowed, the variation shall not exceed 10% of the original contract price.

3.13.5 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

3.14 Assignment

3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent.

3.15 Subcontracts

3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

3.16 Termination for Default

3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part:

(a) if the tenderer fails to deliver any or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity.

(b) if the tenderer fails to perform any other obligation(s) under the Contract.

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

(c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, Goods similar to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar Goods.

3.17 Liquidated Damages

3.17.1 If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed goods up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

3.18 Resolution of Disputes

3.18.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the contract.

3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

3.19 Language and Law

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

3.20 Force Majeure

3.20.1 The tenderer shall not be liable for forfeiture of its performance security, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

Section IV - Special Conditions of Contract

4.0 Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over those in the GCC.

4.1 The participating tenderer is expected to furnish the Procuring Entity with the following documents / information **pursuant to clause 2.12 of the Instructions to Tenderers**: -

- (a) Valid Trade License/s, copies to be attached
- (b) Reliable communication services e.g. fixed line telephone, fax, P.O. Box etc.
- (c) Evidence of past performance – copies of local purchase orders (LPOs) from established organizations to be attached, if any.
- (d) The Tenderer **MUST** possess a Certificate of Incorporation or Certificate of Registration of Business Name, Copy **MUST** be attached.
- (e) The Tenderer **MUST** possess' valid Value Added Tax (VAT) Certificate and PIN N^o., Copies **MUST** be attached.
- (f) Valid Tax compliance certificate, Copies **MUST** be attached.
- (g) Copy of Registration Certificate from the Insurance Regulatory Authority for candidates using insurance guarantee as tender security.
- (h) Sample / Technical Brochure or Catalogue **MUST** be submitted for each item offered.

4.2 Form of Tender and confidential business questionnaire **MUST** be dully filled by the applicant / an authorized representative.

4.3 Tenderers **MUST** submit a set of two (2) Samples (if applicable) bearing KEBS diamond mark of quality or any other relevant recognized Standardization mark. Tenderers who does not qualify for contract award and may wish to collect their samples and shall do so within a period of thirty (30) days of Tender Notification.

4.4 Tenderers shall be required to furnish a Tender / Bid Security of **KShs. 100,000 (Kenya Shillings One Hundred Thousand Only)** payable in bankers' cheque or cash to the Principle Secretary, Ministry of Transport and Infrastructure, Housing and Urban Development or a bid bond from **a Commercial Bank / Eligible Insurance Company** in the format provided in the Tender Documents to remain in force for a period of **One Hundred and Fifty (150) days** from the closing date of the tender.

4.5 Prices quoted should be net inclusive of all taxes and delivery must be in Kenya Shillings and shall remain valid for **One Hundred and Twenty (120) days** from the closing date of the tender.

4.6 Tenderers shall be required to provide **a manufacturer's authorization in the format prescribed in section VIII.** The said manufacturer's authorization should also be accompanied by

Supplies Branch; Tender No. SB/9/2016/2017: **SUPPLY OF MICROBUS, DIESEL**

relevant guarantees and warranty. **Franchise holders MUST provide authorization from principal Manufacturers in the format prescribed in Section VIII.**

4.7 Original manufacturers' brochures containing technical data must accompany all equipment quoted. Web site download will not be acceptable unless they are original manufacturer's PDF format. Samples **MUST** be submitted to Supplies Branch's Procurement Office a day before the tender closing date.

4.8 **Tenderers shall be required to provide evidence of financial stability for at least three years. These should be in form of Audited Financial Statements and / or Bank Statements.** Failure to submit the evidence may render the tender non-responsive.

4.9 Tenderers shall be required to submit their offers in a set of two copies each one marked "ORIGINAL OFFER" and the other "COPY OF OFFER". The original and copy shall be sealed in separate envelopes duly marked as "ORIGINAL" and "COPY". In those Offers, the tenderer will also be required to park the **TECHNICAL DATA** and the **FINANCIAL DATA** separately from one another, so as to enable **Technical and Financial Evaluations** to be conducted independently. The envelopes shall then be sealed in one plain unmarked outer envelope bearing only the tender number **pursuant to clause 2.16 of the Instructions to Tenderers.**

4.10 **Delivery**

Delivery shall be on "as and when required" basis to Ministries / Departments & Institutions. (See **clause 10 of the General Conditions of Contract**)

4.11 **Payment**

This being a tender for the supply of **Microbus Diesel** to the government / Departments & Institutions for **a period of two (2) Year commencing from the date of Contract Signing,** respective Ministries / Departments & Institutions shall pay directly to the contractor on receipt of goods ordered, which in any case shall be within 45 days of receipt. . (See clause 3.12 of the General Conditions of Contract)

4.12 Goods supplied against the contract proceeding from this procurement shall be fully insured against loss, damage incidental to manufacture or acquisition, transportation, storage and delivery to the tune of 110% of the contract value and the procuring entity will not be liable for any damage or loss prior to delivery (**See clause 3.11 of the General Conditions of Contract**).

4.13 Successful tenderers shall be required to submit a performance security of **KShs. 150,000 (Kenya Shillings One Hundred and fifty Thousands only)** on receipt of a letter of notification of award in accordance with **clause 3.7 of the General Conditions of Contract.**

4.14 Prices quoted **SHALL BE IN KENYA SHILLINGS** and should include all costs of shipment and handling until the goods are actually received at the respective Procuring Entity's premises.

4.15 TENDERERS ARE REQUIRED TO ENSURE THAT ALL PAGES OF THEIR TENDER DOCUMENTS ARE PROPERLY SERIALIZED AND STAMPED / SIGNED AND THE DOCUMENT SHOULD BE PROPERLY BOUND. LOOSE TENDER DOCUMENTS WILL BE DECLARED NON RESPONSIVE.

4.16 Blacklisted and suspended firms are not eligible for this procurement.

4.17 Each tenderer must attach to the tender document a copy of the official receipt issued from the cash office for the purchase of the tender document.

4.18 TENDERERS ARE ADVISED TO QUOTE THEIR BID PRICES IN THE ORIGINAL PRICE SCHEDULE PROVIDED IN THIS TENDER DOCUMENT. INTRODUCTION OF A PRICE SCHEDULE DIFFERENT FROM THE ONE PROVIDED IN THIS DOCUMENT IN SECTION (VI) WILL LEAD TO DISQUALIFICATION.

4.19 All items to be supplied must be properly marked, or imprinted **GOK**.

4.20 Tenderers shall not change the technical specifications specified in section (V) of this tender document.

4.21 Test Runs, Training of Procuring entity's staff

The successful bidder, or his local service organisation or Agent, will, after the delivery of the Bid items at the delivery point, assist the procuring entity and furnish the necessary instructions in relation to the test running and commissioning of the Bid items.

The successful tenderer will furnish assistance in the training of operator/driver and maintenance staff for the bid items. This shall be considered as after sales service.

4.22 The tenderers (applicants) shall be required to prepare and submit **TECHNICAL DATA SHEET FORM** for each item quoted showing how it has met the requirements outlined in this Tender Document. **FAILURE TO SUBMIT THIS IMPORTANT DOCUMENT TO THE PROCURING THE ENTITY WILL LEAD TO DISQUALIFICATION.**

Supplies Branch; Tender No. SB/9/2016/2017: **SUPPLY OF MICROBUS, DIESEL**

4.23 Special conditions of contract as relates to the GCC

REFERENCE OF GCC	SPECIAL CONDITIONS OF CONTRACT
3.7.1 Performance security	<i>This shall be KShs. 150,000.00 (Kenya Shillings One Hundred and Fifty only.</i>
3.10.1 Delivery of goods	<i>The delivery period for the goods shall be within a period of 30 days and not exceeding 45 days on placing an LPO unless specifically indicated by the respective procuring entity..</i>
3.12.1 Terms of payment	<i>Payment shall be made after full delivery of goods as prescribed in the LPO.</i>
3.13.1 Prices	<i>The prices offered shall be fixed for the period stated in the Tender Invitation.</i>
2.25.1 Preference	<i>Preference-: 30% preference will be given to tenders submitted by Business Enterprises owned by Youth, Women and Persons with Disabilities.</i>

2.24.5.E.(i) <u>Technical compliance</u>	Determined by the information given by the tenderer. Minor deviation from the specification may be allowed. A maximum of 30 points will be allotted to the tenderer whose equipment meet all the specifications.
(ii) <u>Spare parts availability</u>	This is to be determined by the information supplied by the tenderer as regards to local firms that deal with stocking of spare parts for the make of equipment and physical check on these dealers may be done to confirm availability of spares whose equipment spare parts dealership is proven that will earn 5 points .
(iii) <u>Workshop facilities and after sales service</u>	This is to be determined from information supplied by the tenderer as well as physical checks and the procuring entities past experience. A maximum of 5 points will be allotted for quantity and quality of servicing facilities as well as efficiency and reliability of the service rendered by the appointed local agent.
(iv) <u>Performance rating</u>	A maximum of 5 points will be allotted to tenderers on the basis of recorded past performance of equipment in the Country.

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

	Points covered will be reliability, life expectancy and suitability for local working conditions and tenderer's past record. A point will be awarded for each of the factors.
(v) <u>Manufacturer's warranty</u>	This is to be determined from information supplied by the tenderer. This will be on the duration of warranty with a maximum of 5 points being allotted to the tenderer with a warranty, as indicated in that particular specification. This is important and mandatory as failure to provide warranty will mean automatic disqualification. Warranty has to be supported by equipment manufacturer.
(vi) <u>Concurrence with vehicle and plant standardisation</u>	A maximum of 2 points will be allotted to tenderers on the basis of standardisation with current Government fleet, with the most populous make scoring 2 points and all other tenderers by proportion to their numbers.
(vii) <u>Dealership</u>	To be determined by information supplied by the tenderer as well as past experience of the procuring entity. Proven dealership will be allotted 3 points and equipment with no local dealer or agent will be disqualified.
(viii) Environmental compatibility	Environmental compatibility will earn a maximum of 5 points basing on

Section V - Schedule of Requirements

supply of Microbus, Diesel

(THIS BID FORM TO BE FILLED BY ALL TENDERERS)

Name of tenderer _____ Tender Number _____ Page ____ of _____

ITEM NO.	ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	DUTY FREE UNIT PRICE (KShs.)	DUTY PAID UNIT PRICE (KShs.)	INCIDENTAL COSTS	TOTAL DUTY FREE UNIT PRICE (KShs.)	TOTAL DUTY PAID UNIT PRICE (KShs.)
1.	Minibus, 30-35 Passengers, Diesel	NO.	As and When Required					
2.	Microbus, Diesel 14 Passengers	NO.	As and When Required					
3.	Minibus, 25 -29 Passengers, Diesel	NO.	As and When Required					
4.	46-54 Seater Semi-Luxury Bus.	NO.	As and When Required					
5.	Semi-Luxury Large Bus, 62 Passengers	NO.	As and When Required					
6.	Executive Microbus, Diesel, 9 Passengers	NO.	As and When Required					

Signature of Tenderer
(Authorized Official): _____

Name

Signature

Date

Note: Actual Item Quantities have no Contractual Obligation.

SECTION VI - TECHNICAL SPECIFICATIONS

6.1 General

- 6.1.1.** These specifications describe the requirements for goods. Tenderers are requested to submit with their offers the detailed specifications, drawings, catalogues, etc for the products they intend to supply.
- 6.1.2.** Tenderers must indicate on the specifications sheets whether the equipment offered comply with each specified requirement.
- 6.1.3.** All the dimensions and capacities of the equipment to be supplied shall not be less than those required in these specifications. Deviations from the basic requirements, if any shall be explained in detail in writing with the offer, with supporting data such as calculation sheets, etc. The procuring entity reserves the right to reject the products, if such deviations shall be found critical to the use and operation of the products.
- 6.1.4.** The tenderers are requested to present information along with their offers as follows:
- (i) Shortest possible delivery period of each product.
 - (ii) Information on proper representative and/or workshop for back-up service/repair and maintenance including their names and addresses.

TECHNICAL SPECIFICATIONS PARTICULARS

(See a set sheets of technical specifications attached at the back of this document)

MICROBUS, DIESEL		
NO.	SPECIFICATION NO.	DESCRIPTION
1.	MTD-904-040-16	MINIBUS, 30-35 PASSENGERS, DIESEL
2.	MTD-919-046-16	MICROBUS, DIESEL 14 PASSENGERS
3.	MTD-935-040-16	MINIBUS, 25 -29 PASSENGERS, DIESEL
4.	MTD-947-014-16	46-54 SEATER SEMI-LUXURY BUS.
5.	MTD-1087-014-16	SEMI-LUXURY LARGE BUS, 62 PASSENGERS
6.	MTD-1271-046-16	EXECUTIVE MICROBUS, DIESEL, 9 PASSENGERS
7.	MTD-1846-040-16	SEMI-LUXURY LARGE BUS, 67 PASSENGERS

1. MTD-904-040-16 MINIBUS, 30-35 PASSENGERS, DIESEL

SPECIFICATION	REQUIREMENT	TENDERER'S
MAKE	-	
MODEL	-	
COUNTRY OF ORIGIN	-	
MANUFACTURER'S LITERATURE AND SPECIFICATIONS SUPPLIED	Yes	_____ (Y/N)

1. GENERAL

a)	A Standard production, 4 door mini bus, of latest design, in current production.	Yes, Yes, Yes	_____ (Y/N)
b)	Supplied new.	Yes	_____ (Y/N)
c)	Designed to heavy duty export specifications, suitable of operating in tropical conditions	Yes, Yes	_____ (Y/N)
d)	Suitable for passenger transportation over paved and un-paved (rough) roads.	Yes	_____ (Y/N)
e)	To seat 30-35 adult passengers comfortably.	Yes	_____ (Y/N)

2. DIMENSIONS AND WEIGHTS

a)	Overall length, approx.	7,000mm	----- mm
b)	Overall width, approx.	2,100mm	----- mm
c)	Overall height, approx.	2,300mm	----- mm
d)	Wheelbase, approx.	3,900mm	----- mm
e)	Max. G.V.W, approx.	7,000Kg	----- kg
f)	Kerb weight, approx.	2,400Kg	-----kg
g)	Passenger room height, min.	1,700mm	-----mm

3. ENGINE

a)	Make	-	
b)	Model	-	

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

SPECIFICATION	REQUIREMENT	TENDERER'S
c) Country of origin	-	
d) Engine performance curves supplied.	Yes	_____ (Y/N)
e) Engine type, Diesel	Yes	_____ (Y/N)
f) 4 Stroke, water cooled.	Yes, Yes	_____ (Y/N)
g) Piston displacement , approx.	3500-5000cc	----- cc
h) Number of cylinders, min	4	----- no.
i) Maximum power output, (KW/rpm), min.	70 Kw/ 3,000rpm	------(KW /rpm)
j) Maximum torque developed, (NM/rpm), min.	240Nm/1,800rpm	-----Nm rpm
k) Air filter, disposable/oil bath	specify	-----
l) Oil and fuel filter type	Disposable	-----
m) Average fuel consumption (on full load) at:		
a) Urban driving	specify	-----Km/l
b) Steady 50Km/h	specify	Km/l
c) Steady 80Km/h	specify	Km/l
n) Fuel tank capacity, approx.	60Lt	Lt
Extra fuel tank fitted.	specify	

4. CLUTCH AND TRANSMISSION

a) Clutch, coil spring type, dry single plate,	specify	_____
b) All synchromesh gearbox.	Yes	_____ (Y/N)
c) Gear speeds, min	4F,1R	
d) Drive configuration.	4x2	

5. BRAKES AND TYRES

a) Brakes, hydraulic actuation.	Yes, Yes	_____ (Y/N)
b) Mechanical parking brake, to act on rear wheels	Yes	_____ (Y/N)
c) Locally available single purpose tires	Yes	_____ (Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

SPECIFICATION	REQUIREMENT	TENDERER'S
d) Optimum tire size	specify	
6. SUSPENSION AND STEERING		
a) Independent, heavy duty front and rear suspension	Yes, Yes	_____ (Y/N)
b) Heavy duty leaf and coil springs with hydraulic (telescopic) shock absorbers.	specify, front, rear,	
c) Manual or assisted steering	specify	
d) Right Hand drive steering	Yes	_____ (Y/N)
7. ELECTRICAL SYSTEM AND INSTRUMENTS		
a) System voltage, negative earth, with alternator charging	12V, Yes, Yes	_____ (Y/N)
b) Battery capacity, approx.	Specify	_____ AH
c) Full lighting to conform to Cap 403 Subs.23-Kenya Traffic Act.	Yes	_____ (Y/N)
d) Standard instruments and gauges (or warning lights) for charging circuit, oil pressure, coolant temperature etc.	Yes	_____ (Y/N)
8. EQUIPMENT (ACCESSORIES) ETC		
a) Vehicle to be fitted with electronic speed governor	Mandatory	_____ (Y/N)
b) Governor to limit maximum speed to 80km/hr	Mandatory	_____ (Y/N)
c) Governor to be tamper proof	Mandatory	_____ (Y/N)
d) Governor to be inspected by CM&TE before Delivery.	Mandatory	_____ (Y/N)
e) Heavy duty front fender, fitted	Yes	_____ (Y/N)
f) Jack, wheel brace and manufacturer's standard tools, supplied.	Yes	_____ (Y/N)
g) Sun visors supplied 2no.	Yes	_____ (Y/N)
h) Rear view mirrors supplied 2no. external, 1no. internal.	Yes	_____ (Y/N)
i) FM, MW, SW radio fitted.	Yes	_____ (Y/N)
j) CD player fitted.	Yes	_____ (Y/N)
k) Any other equipment supplied.	specify	
9 BODY CONSTRUCTION		
GENERAL		
Manufacturer's specifications and detailed	Yes	

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

SPECIFICATION	REQUIREMENT	TENDERER'S
a) engineering drawings (Showing seating arrangement etc) of body supplied.	(MANDATORY)	(Y/N)
b) Body construction and other fitments to comply with CAP 403- Kenya Traffic Act.	Yes (MANDATORY)	(Y/N)
c) All body construction and installation to comply with the chassis manufacturing specifications	Yes (MANDATORY)	(Y/N)
10 BODY CONSTRUCTION		
DETAILS		
a) Minibus to retain the original cabin.	Yes	Y/N
b) The off-side door on the cabin to be permanently locked	Yes	Y/N
c) Cabin back panel to be removed so that there is no barrier between the driver and the passengers other than the metal enclosure around the driver's seat.	Yes	Y/N
d) Body cross bearers of pre-stressed channel sections 50x50x4.5mm equally spaced convenient for door and wheel.	Yes	Y/N
e) Body to be mounted onto the chassis by equally spaced pre-stressed channel sections convenient for door and wheels.	Yes	Y/N
f) Body side pillars secured to cross bearers by gussets and weldings reinforced properly by box/angle sections.	Yes	Y/N
g) Side pillars of box sections	specify box section size	
h) Roof sticks of box sections and curved to give an internal radius to pillars of 300mm	Yes	Y/N
I) Roof reinforced by angle/top hat iron longitudinal sections min.	3 no.	Y/N
j) External panel to be of light alloy material while the interior is plywood covered by Formica	external panel thickness 1mm	(Y/N)
k) Body frame of box sections	25mmx25mmx1mmx.....x.....
l) Floor covered with non-slip chequered alloy plate.	Yes	(Y/N)
m) All inspection covers on floor to be of close fit secured by locks and of adequate dimensions for access to units for maintenance etc.	Yes	(Y/N)
n) Wheel arches made from none slip mild steel plate lined with noise deadening material	Yes	(Y/N)
11 DOORS, SEATS, WINDOWS, BODY FINISHING ETC.		
a) One lockable, foldable passenger door towards front both opening inwards.	Yes	(Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

SPECIFICATION	REQUIREMENT	TENDERER'S
b) One emergency door at the rear with a none-opening glass window.	Yes	(Y/N)
c) Mild steel non-slip chequered steps provided for the passenger door.	Yes	(Y/N)
d) Lockable driver door to open outwards with suitable non-slip steps provided for easy access	Yes	(Y/N)
e) All seats to have safety belts that conform to the KEBS standard No. 06-664 of 1985.	Yes Mandatory	------(Y/N)
f) 2x2 seating arrangement for passengers with seats bolted to the floor.	Yes	(Y/N)
g) All seats cushioned and covered with hard wearing upholstery. Seating cushion and back rest foam thickness, min	100mm, 50mm respectively.	
h) All seats fitted with integral head rests and chrome plated grab handles	Yes	(Y/N)
D) Seat spacing between rows, approx.	750mm	mm
j) Chrome plated roof hand rail to run the entire length of bus.	Yes	(Y/N)
k) One piece laminated front and rear wind shield fitted.	Yes	(Y/N)
l) All other windows to be of clear toughened glass.	Yes	(Y/N)
m) Body panels to be thoroughly cleaned before painting. Both internal and external finish to be preceded by primer coat and undercoat.	Yes	(Y/N)
n) High gloss finish colour both for internal and external to be specified by the user.	Yes	(Y/N)
o) Body under parts and floor to be painted chassis black colour.	Yes	(Y/N)
p) Engine hood to be heat resistant	Yes	(Y/N)
q) Driver's side of the bus should be written (-----) with broad letters, at a position stated by the user.	Yes	(Y/N)
User to specify below what is to be written (under)		
5. ELECTRICAL SYSTEM, ACCESSORIES ETC.		
a) Adequate fluorescent tube lighting for passenger deck, with switch operated by driver.	Yes	(Y/N)
b) Courtesy bells/buzzers provided with one switch above each passenger door.	Yes	(Y/N)
c) Each windscreen piece to have its own wiper.	Yes	(Y/N)
d) 2 No. external and 1 No. internal view mirrors fitted.	Yes	(Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

	SPECIFICATION	REQUIREMENT	TENDERER'S
e)	2 No. sun visors fitted	Yes	(Y/N)
f)	Chevrons and reflectors fitted at rear. Reflective strip and reflectors at front.	Yes, Yes	(Y/N)
g)	1 No. suitably positioned fire extinguisher supplied.	Yes	(Y/N)
h)	1 No. First aid kit fitted.	Yes	(Y/N)
D)	Windows to have suitable curtains/curtain rails.	Yes	(Y/N)
6	BODY WARRANTY		
a)	Specimen of vehicle/body warranty to be submitted when tendering.	Yes	(Y/N)
b)	Warranty duration:	min- 12 Months or 40,000 Km which ever occurs first.	(Y/N)

14 OTHER REQUIREMENT

a)	Bus to be registered by the Registrar of Motor Vehicles.	Yes (Mandatory)	_____(Y/N)
b)	Bus to bear Institution logo.	Yes	_____(Y/N)
c)	Vehicle/bus will be inspected by the Chief Mechanical and Transport Engineer, during construction and prior to delivery to the user.	Yes (Mandatory)	_____(Y/N)
d)	Franchise holder (representative in Kenya). If not, specify relationship with franchise holder.	Yes Specify whether agent/dealer	_____(Y/N) -----
e)	Availability of spares.	Indicate motor vehicle dealers who stock spare parts.	----- ----- ----- -----
f)	Names and addresses of dealers/agents where back-up service can be obtained indicating the location of the workshops facilities.	Specify	----- ----- ----- -----
g)	Body construction and all fitments to conform to CAP 403 Kenya Traffic Act.	Yes (Mandatory)	_____(Y/N)

2. MTD-919-046-16 MICROBUS, DIESEL 14 PASSENGERS**TENDERER'S Column to be completed by ALL TENDERER'S**

SPECIFICATION	REQUIREMENT	TENDERER'S
MAKE	-	
MODEL	-	
COUNTRY OF ORIGIN	-	
MANUFACTURER'S LITERATURE AND SPECIFICATIONS SUPPLIED (To be attached to this specification form.)	Yes (MANDATORY)	_____ (Y/N)

1. GENERAL

a) A Standard production micro bus of latest design in current production.	Yes, Yes, Yes	_____ (Y/N)
b) Supplied new.	Yes	_____ (Y/N)
c) Designed to heavy duty export specifications, suitable of operating in tropical conditions	Yes, Yes	_____ (Y/N)
d) Suitable for passenger transportation over paved and un-paved (rough) roads.	Yes	_____ (Y/N)
e) To seat a maximum of 14 adult passengers comfortably.	Yes	_____ (Y/N)

2. DIMENSIONS AND WEIGHTS

a) Overall length, approx.	4,700mm	----- mm
b) Overall width, approx.	1,700mm	----- mm
c) Overall height, approx.	2,000mm	----- mm
d) Wheelbase, approx.	2,600mm	----- mm
e) Max. G.V.W, approx.	2,800Kg	----- kg
f) Kerb weight, approx.	1,600Kg	-----kg
g) Passenger room height, min.	1,370mm	-----mm

3. ENGINE

a) Make	-	
---------	---	--

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by ALL TENDERER'S

b)	Model	-	
c)	Country of origin	-	
d)	Engine performance curves supplied.	Yes	_____ (Y/N)
e)	Engine type, Diesel	Yes	_____ (Y/N)
f)	4 Stroke, water cooled.	Yes, Yes	_____ (Y/N)
g)	Piston displacement , approx.	2400-2800cc	----- cc
h)	Number of cylinders	4	----- no.
i)	Maximum power output,(Kw /rpm), min.	60 Kw/ 4800rpm	----- Kw rpm
j)	Maximum torque developed,(NM/rpm), min.	170Nm/2,800rpm	-----Nm rpm
k)	Air filter, disposable/oil bath	specify	-----
l)	Oil and fuel filter type	Disposable	-----
m)	Average fuel consumption (on full load) at		
	a) <u>Urban driving</u>	specify	-----Km/l
	b) <u>Steady 50Km/h</u>	specify	Km/l
	c) <u>Steady 80Km/h</u>	specify	Km/l
n)	Fuel tank capacity, approx.	60Lt	Lt
	Extra fuel tank fitment.	specify	

4. CLUTCH AND TRANSMISSION

a)	Clutch, coil spring type, dry single plate,	specify	
b)	All synchromesh gearbox.	Yes	_____ (Y/N)
c)	Gear speeds, min	4F,1R	

5. BRAKES AND TYRES

a)	Brakes, hydraulic - internal expanding drum	Yes, Yes	_____ (Y/N)
b)	Mechanical parking brake, to act on rear wheels	Yes	_____ (Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by ALL TENDERER'S

c) Locally available single purpose tires	Yes	_____ (Y/N)
d) Optimum tire size	specify	

6. SUSPENSION AND STEERING

a) Independent, heavy duty front and rear suspension	Yes, Yes	_____ (Y/N)
b) Heavy duty leaf and coil springs with hydraulic (telescopic) shock absorbers.	specify front rear	
c) Manual or assisted steering	specify	
d) Right Hand drive steering	Yes	_____ (Y/N)

7. ELECTRICAL SYSTEM AND INSTRUMENTS

a) System voltage, negative earth, with alternator charging	12V, Yes, Yes	
b) Battery capacity, approx.	1x12V, 50Ah	
c) Full lighting to conform to Cap 403 Subs.23-Kenya Traffic Act.	Yes	_____ (Y/N)
d) Standard instruments, gauges and warning lights for charging circuit, oil pressure, coolant temperature etc.	Yes	_____ (Y/N)

8. BODY, SEATS AND FINISH

a) All body work to be protected against corrosion for seaside operation.	Yes	_____ (Y/N)
b) Long lasting upholstery.	Specify material.	
c) High gloss body finish, colour to be specified by the user.	Yes	_____ (Y/N)
d) Seating capacity (14-18 seats).	Specify No.	_____ (Y/N)
e) seating configuration	specify	
f) All seats to have safety belts that conform to the KEBS standard No. 06-664 of 1985.	Mandatory	_____ (Y/N)

9. EQUIPMENT (ACCESSORIES) ETC

a) Vehicle to be fitted with electronic speed Governor.	Mandatory	_____ (Y/N)
b) Governor to limit maximum speed to 80km/hr	Mandatory	_____ (Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by ALL TENDERER'S

c)	Governor to be tamper proof	Mandatory	(Y/N)
d)	Governor to be inspected by CM&TE before delivery.	Mandatory	_____ (Y/N)
e)	Heavy duty front fender, fitted	Yes	_____ (Y/N)
f)	Jack, wheel brace and manufacturer's standard tools, supplied.	Yes	_____ (Y/N)
g)	Sunvisors supplied, 2no.	Yes	_____ (Y/N)
h)	Rear view mirrors supplied, 2no. external, 1no. internal.	Yes	_____ (Y/N)
i)	FM, MW, SW radio fitted.	Yes	_____ (Y/N)
j)	CD changer fitted.	Yes	_____ (Y/N)
k)	Any other equipment supplied.	specify	

10. WARRANTY

a)	Each vehicle supplied should carry a statement of warranty.	Yes	_____ (Y/N)
b)	Vehicle warranty min., 40,000 Km or 12 Months whichever occurs first.	specify	Km Months

11. MANUALS

a)	All literature in English language	Yes	_____ (Y/N)
b)	Repair Manual, supplied.	1 per Vehicle	_____ (Y/N)
c)	Parts catalogue, supplied	One set per vehicle	_____ (Y/N)
d)	Drivers handbook and service schedule supplied.	1 per Vehicle	_____ (Y/N)

12. OTHER REQUIREMENT

a)	Vehicle to be registered with the Registrar of Motor Vehicles.	Yes	_____ (Y/N)
b)	Vehicle to be inspected by the Chief Mechanical and Transport Engineer for compliance with the specification prior to delivery to the user.	Yes	_____ (Y/N)
c)	Firm's Status: (Franchise holder/ Dealer/Agent)	Specify	
d)	Availability of spares	Indicate motor vehicle dealers who stock spare parts.	
e)	Indicate names and physical addresses of dealers/agents where back-up service can be obtained.	Specify	

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by ALL TENDERER'S

f) Body construction and all fitments to conform to CAP 403 Kenya Traffic Act and to have a certificate from the vehicle inspection centre.	Yes (Mandatory)	_____ (Y/N)
---	-----------------	-------------

3. MTD-935-040-16 MINIBUS, 25 -29 PASSENGERS, DIESEL.

SPECIFICATION	REQUIREMENT	TENDERER'S
MAKE	-	
MODEL	-	
COUNTRY OF ORIGIN	-	
MANUFACTURER'S LITERATURE , AUTHORITY AND SPECIFICATIONS SUPPLIED	Yes (Mandatory)	_____ (Y/N)

1. GENERAL

a) A Standard production mini bus of latest design in current production, marketed in Kenya.	Yes, Yes, Yes	_____ (Y/N)
b) Supplied new.	Yes	_____ (Y/N)
c) Designed to heavy duty export specifications, suitable of operating in tropical conditions	Yes, Yes	_____ (Y/N)
d) Suitable for passenger transportation over paved and un-paved (rough) roads.	Yes	_____ (Y/N)
e) To seat 25 -29 adult passengers comfortably.	Yes	_____ (Y/N)

2. DIMENSIONS AND WEIGHTS

a) Overall length, approx.	5,800mm	----- mm
b) Overall width, approx.	2,000mm	----- mm
c) Overall height, approx.	2,200mm	----- mm
d) Wheelbase, approx.	3,300mm	----- mm
e) Max. G.V.W, approx.	6,000Kg	----- kg
f) Kerb weight, approx.	2,100Kg	-----kg
g) Passenger room height, min.	1,700mm	-----mm

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

SPECIFICATION	REQUIREMENT	TENDERER'S
---------------	-------------	------------

3. ENGINE

a) Make	-	
b) Model	-	
c) Country of origin	-	
d) Engine performance curves supplied.	Yes	_____ (Y/N)
e) Engine type, Diesel	Yes	_____ (Y/N)
f) 4 Stroke, water cooled.	Yes, Yes	_____ (Y/N)
g) Piston displacement , approx.	3500-7000cc	----- cc
h) Number of cylinders, min	4	----- no.
i) Maximum power output, (KW/rpm), min.	65 Kw/3000rpm	----- (KW /rpm)
j) Maximum torque developed, (NM/rpm), min.	230Nm/1600rpm	-----Nm rpm
k) Air filter, disposable/oil bath	specify	-----
l) Oil and fuel filter type	Disposable	-----
m) Average fuel consumption (on full load) at:		
a) Urban driving	specify	-----Km/l
b) Steady 50Km/h	specify	Km/l
c) Steady 80Km/h	specify	Km/l
n) Fuel tank capacity, approx.	60LtLt
o) Extra fuel tank fitted	specify	

4. CLUTCH AND TRANSMISSION

a) Clutch, coil spring type, dry single plate,	specify	_____
b) All synchromesh gearbox.	Yes	_____ (Y/N)
c) Gear speeds to be 5F,1R minimum.	Yes	_____ (Y/N)
d) Drive configuration.	4x2	_____ (Y/N)

5. BRAKES AND TYRES

--	--	--

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

SPECIFICATION	REQUIREMENT	TENDERER'S
a) Brakes, hydraulic actuation.	Yes, Yes	_____ (Y/N)
b) Mechanical parking brake, to act on rear wheels	Yes	_____ (Y/N)
c) Locally available single purpose tires	Yes	_____ (Y/N)
d) Optimum tire size	specify	

6. SUSPENSION AND STEERING

a) Independent, heavy duty front and rear suspension	Yes, Yes	_____ (Y/N)
b) Heavy duty leaf springs with hydraulic (telescopic) shock absorbers.	specify, front, rear,	
c) Power steering	mandatory	_____ (Y/N)
d) Right Hand drive steering	Yes	_____ (Y/N)

7. ELECTRICAL SYSTEM AND INSTRUMENTS

a) System voltage, negative earth, with alternator charging	24V, Yes, Yes	_____ (Y/N)
b) Battery capacity, approx.	Specify	_____ AH
c) Full lighting to conform to Cap 403 Subs.23-Kenya Traffic Act.	Yes	_____ (Y/N)
d) Standard instruments and gauges (or warning lights) for charging circuit, oil pressure, coolant temperature etc.	Yes	_____ (Y/N)

8. BODY, SEATS AND FINISH

a) All body work to be protected against corrosion for seaside operation.	Yes	_____ (Y/N)
b) Long lasting upholstery.	Specify material.	
c) Roof to be suitable carpet material, sides to be plywood covered with formica / velvex - user to choose colour	Specify materials	
d) High gloss body finish, colour & signage to be specified by the user.	Yes(Mandatory)	_____ (Y/N)
e) Seating configuration 25-29 seats.	Specify configuration.	_____ (Y/N)
f) Seats to be reclining type with headrests/equivalent	Yes(Mandatory)	_____ (Y/N)
g) All seats to have safety belts that conform to the KEBS standard No. 06-664 of 1985.	Yes(Mandatory)	_____ (Y/N)
h) To have suitable window curtains	Yes(Mandatory)	_____ (Y/N)
i) Suitable interior roof racks on both sides fitted	Yes(Mandatory)	_____ (Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

SPECIFICATION	REQUIREMENT	TENDERER'S
9. EQUIPMENT (ACCESSORIES) ETC		
a) Vehicle to be fitted with electronic speed governor	Yes(Mandatory)	_____ (Y/N)
b) Governor to limit maximum speed to 80km/hr	Yes(Mandatory)	_____ (Y/N)
c) Governor to be tamper proof	Yes(Mandatory)	_____ (Y/N)
d) Heavy duty front fender, fitted	Yes	_____ (Y/N)
e) Jack, wheel brace and manufacturer's standard tools, supplied.	Yes	_____ (Y/N)
f) Sunvisors supplied 2no.	Yes	_____ (Y/N)
g) Rear view mirrors supplied 2no. external, 1no. internal.	Yes	_____ (Y/N)
h) FM tuner radio with cassette and CD players fitted.	Yes	_____ (Y/N)
i) To have speakers at several points on the roof.	specify	_____ (Y/N)
10. WARRANTY		
a) Each vehicle supplied should carry a statement of warranty.	Yes	_____ (Y/N)
b) Vehicle warranty min., 40,000 Km or 12 Months whichever occurs first.	specify	-----Km -----Months
11. MANUALS		
a) All literature in English language	Yes, (Mandatory)	_____ (Y/N)
b) Shop manual/CD, supplied.	1 per Vehicle (Mandatory)	_____ (Y/N)
c) Parts catalogue/CD, supplied	One set per vehicle (Mandatory)	_____ (Y/N)
d) Driver's handbook, warranty and service schedule supplied.	1 per Vehicle	_____ (Y/N)
12. OTHER REQUIREMENT		
a) Vehicle to be registered with the registrar of motor vehicles.	Yes (Mandatory)	_____ (Y/N)
b) Vehicle to be inspected by the Chief Mechanical and Transport Engineer prior to delivery to the user.	Yes	_____ (Y/N)
c) Firm's Status: (Franchise holder/ Dealer/Agent)	Specify	_____
d) Availability of spares	Indicate motor vehicle dealers who stock spare	

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

SPECIFICATION	REQUIREMENT	TENDERER'S
e) Indicate names and physical addresses of dealers/agents where back-up service can be obtained.	parts. Specify	
f) Body construction and all fitments to conform to CAP 403 Kenya Traffic Act and to have a certificate from the vehicle inspection unit.	Yes (Mandatory)	_____(Y/N)

4. MTD-947-014-16 46-54 SEATER SEMI-LUXURY BUS

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
Make	-	
Model	-	
Country of origin	-	
Manufacturer's literature and specifications on cub/chassis supplied.	Yes (mandatory)	(Y/N)
Detailed engineering drawings and dimensions of the bus body supplied.	Yes (mandatory)	(Y/N)

1. GENERAL

a) A standard production, large bus of latest design in the class, robust construction in current production.	Yes, Yes, Yes	(Y/N)
b) Supplied new.	Yes (mandatory)	(Y/N)
c) Designed to heavy-duty specifications, capable of operating in tropical conditions over paved and unpaved (rough) roads.	Yes, Yes	(Y/N)
d) Suitable for transportation of passengers	Yes	(Y/N)
e) To seat 46-54 adult passengers comfortably.	Yes	(Y/N)

2. DIMENSIONS, WEIGHTS AND PERFORMANCE

a) Overall length, approx.	8,200 mm	mm
b) Overall width, approx.	2,400 mm	mm
c) Overall height with body, approx.	3,000 mm	mm
d) Wheelbase, approx.	4,500 mm	mm

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
e) Ground clearance, approx.	220mm	mm
f) Max. G.V.W., approx.	10,000 Kg	Kg
g) Kerb weight, approx.(Complete Bus), approx	4,500 Kg	Kg
h) Max. gradient, approx.	specify	degrees
I) Wading depth, approx.	specify	mm

3. ENGINE

a) Make	-	
b) Model	-	
c) Country of origin	-	
d) Engine position, front/rear.	front	(Y/N)
e) Engine type Diesel, 4 Stroke.	Yes, Yes	(Y/N)
f) Engine mode of aspiration. (Natural/Turbocharged)	Natural	(Y/N)
g) Engine cooling system, water.	Yes	(Y/N)
h) Piston displacement, approx.	6,500-10,000 cc	cc
I) Number of cylinders.	6	No.
j) Maximum power output, (kW / rpm), min.	130KW/2800rpm	KW/rpm
k) Maximum torque developed (Nm / rpm), min.	450Nm/1500rpm	Nm/rpm
l) Air filter, disposable/oil bath	specify	
m) Oil and fuel filter type.	replaceable	
n) Average fuel consumption (on full load)	specify	Km/l
o) Fuel tank capacity, approx.	200 lt	lt

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
4. <u>CLUTCH AND TRANSMISSION</u>		
a) Clutch type, dry, single plate .	Yes, Yes	(Y/N)
b) Hydraulic, clutch actuation.	Yes	(Y/N)
c) All synchromesh gearbox, with 2 speed reduction transfer gearbox.	Yes, Yes	(Y/N)
d) Transmission speeds	6 speed	speed
e) Gear box type, synchromesh	Yes	(Y/N)
f) Drive configuration	4x2	
5. <u>BRAKES AND TYRES</u>		
a) Assisted hydraulic brake system.	Yes, Yes	(Y/N)
c) Mechanical Parking brake.	Yes	(Y/N)
d) Tire tread, dual, for highway and x-country operation.	Yes	(Y/N)
e) Tire (size) locally available.	Yes	(Y/N)
f) Optimum tire size.	specify	
6. <u>SUSPENSION AND STEERING</u>		
a) Independent Heavy duty front and rear suspension.	Yes	(Y/N)
b) Heavy duty leaf or coil springs with telescopic dampers.	specify front rear	
c) Assisted steering.	Yes	(Y/N)
d) Right hand drive steering.	Yes	(Y/N)
e) Drivers seat adjustable	Yes	(Y/N)
7. <u>ELECTRICAL SYSTEM AND INSTRUMENTS</u>		
System voltage, negative earth, with alternator		

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
a) charging.	24V, Yes	(Y/N)
b) Battery capacity.	120AH, 2x12V.	
c) Full lighting to conform to Cap.403 Subs.23 Kenya Traffic Act.	Yes	(Y/N)
d) Standard instruments, gauges and warning lights for charging circuit, oil pressure, coolant, temperature, buzzer for air pressure etc.	Yes, Yes, Yes	(Y/N)
e) Lamps - 2 heads, parking indicator and tail to conform to Kenya Traffic Act.	Yes, Yes, Yes	(Y/N)

8 EQUIPMENT(ACCESSORIES)

a) Vehicle to be fitted with electronic speed governor	Yes (mandatory)	(Y/N)
b) Speed governor to limit maximum speed to 80 Km/h	Yes (mandatory)	(Y/N)
c) Speed governor to be tamper proof	Yes (mandatory)	(Y/N)
d) All seats to have safety belts that conform to the KEBS standard No. KS 06-664 of 1985	Yes (mandatory)	(Y/N)
e) Heavy duty front fender fitted.	specify	(Y/N)
f) Spare wheel and external carrier fitted.	Yes	(Y/N)
g) High raise jack and jacking points and wheel brace.	Yes, Yes	(Y/N)
h) Suitable FM radio and CD changer fitted	Yes (mandatory)	(Y/N)
i) Manufacturer's standard tools supplied.	Yes, Yes	(Y/N)
j) Any other equipment (or accessories) supplied	specify	

B. BODY CONSTRUCTION DETAILS

i). <u>GENERAL</u>		
a) Detailed engineering drawings (Showing seating arrangement etc) of body supplied.	Yes MANDATORY	(Y/N)
b) Coach construction and other fitments to comply with CAP 403- Kenya Traffic Act.	Yes	(Y/N)
ii). <u>BODY CONSTRUCTION</u>		
a) Body to be mounted onto the chassis by equally spaced pre-stressed channel sections convenient for	Yes	(Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
door and wheels.		
b) Cross bearers, mild steel channel section:	Dimension: 100mmx50mmx6mm No. min 9	----- -----
c) Cross bearers secured to chassis by bolted angle iron sections.	Yes	(Y/N)
d) Body side pillars secured to cross bearers by gussets and welding reinforced properly by box angle sections.	Yes	(Y/N)
e) Side pilfers of angle iron/mild steel top hat sections, min spacing approximately	40mmx40mmx3mm/ 220mmx40mmx40mm x3mm 1 m apart spacing section.	
f) Roof sticks be of box sections and curved to give an internal radius to pilfers , min.	40mmx40mmx3mm/ 220mmx40mmx40mm x3mm radius 300mm	
g) Roof reinforced by angle top hat iron longitudinal sections. min No.	3 No.	
h) Body to be of double skin construction Thickness of material approx. 1.2mm	Yes Specify thickness of material	(Y/N) -----mm
i) Exterior panels to be of light alloy material while the interior is plywood covered by Formica and suitable carpet material on the roof.	specify materials	
j) Panels to be secured to frame by sealed pop rivets or spot welding or any other acceptable method	specify method	
k) Floor covered with non-slip chequered alloy plate of thickness 3mm approx.	Yes Specify thickness	(Y/N) -----mm
l) All inspection covers on floor to be close fit secured by locks and of adequate dimensions for access to units for maintenance etc.	Yes	(Y/N)
m) Wheel arches made from non-slip mild steel plate lined with noise deadening material.	Yes	(Y/N)

iii) DOORS, SEATS, WINDOWS, BODY FINISHING ETC.

a) Lockable passenger door towards front opening inwards	Yes	(Y/N)
b) Mild steel non-slip chequered steps provided for the passenger door.	Yes	(Y/N)
c) Lockable driver door to open outwards with suitable non-slip steps provided for easy access	Yes	(Y/N)
d) Specify seating arrangement.	Specify	
All seats cushioned and covered with hard wearing	Specify material	

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
e) material. Seating cushion and back rest foam thickness, min	100mm, 50mm respectively.	_____
f) Seats suitably fitted with integral head rests and chrome plated grab handles/or equivalent	Yes	(Y/N)
g) Seat spacing between rows, approx.	750mm	mm
h) Lockable boot (with keys) located at rear for the spare wheel , jack and tool kit with a runner and dust seal to keep away rain.	Yes	(Y/N)
j) Provision for side luggage compartments	Mandatory	(Y/N)
k) Chrome plaited roof hand rail to run the entire length of bus.	Yes	(Y/N)
l) Two piece laminated front and rear wind shield fitted.	Yes	(Y/N)
m) All other windows to be of clear toughened glass.	Yes	(Y/N)
n) Panoramic (wide view) sliding windows fitted in aluminium frame and lockable from inside.	Yes	(Y/N)
o) Suitable size 4 No. ventilators on front and rear panel of body, with insect excluding gauze, with control inside bus.	Yes	(Y/N)
p) Body panels to be thoroughly cleaned before painting. Both internal and external finish to be proceeded by primer coat and intercoat.	Yes	(Y/N)
q) High gloss finish colour both for internal and external to be specified by the user.	Yes	(Y/N)
r) Body underparts and floor to be painted chassis black colour.	Yes	(Y/N)
s) Windows to have suitable curtain and curtain rails	Yes(Mandatory)	(Y/N)
t) Suitable interior roof rack fitted.	Yes	(Y/N)
iv). ELECTRICAL SYSTEM, ACCESSORIES ETC.		
a) Adequate flourescent tube lighting for passenger deck, with switch operated by driver.	Yes	(Y/N)
b) Courtesy bell/buzzer provided with one switch above door.	Yes	(Y/N)
c) Each windscreen piece to have its own wiper.	Yes	(Y/N)
d) 2 No. external and 1 No. internal rear view mirrors fitted.	Yes	(Y/N)
Suitable sun strips/blinders fitted on front		

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
e) windscreen.	Yes	(Y/N)
f) Chevrons and reflectors fitted at rear.	Yes	(Y/N)
g) 1 No. suitably positioned fire extinguisher supplied.	Yes	(Y/N)
h) Vehicle to be fitted with electronic speed Governor	Mandatory	------(Y/N)
i) Governor to limit maximum speed to 80km/hr	Mandatory	------(Y/N)
j) Governor to be tamper proof	Mandatory	------(Y/N)
k) 1 No. first aid kit fitted.	Yes	(Y/N)

v) BODY WARRANTY

a) Specimen of vehicle/body warranty to be submitted when tendering.	Yes	(Y/N)
b) Each vehicle supplied to carry a statement of warranty.	Yes Mandatory	(Y/N)
c) Warranty duration:	min- 12 Months or 40,000 Km whichever occurs first.	Months Km

vi) MANUALS

a) All literature in English language.	Yes	_____(Y/N)
b) Repair manuals supplied.	1 per vehicle Mandatory	_____(Y/N)
c) Parts catalogue supplied.	1 per vehicle Mandatory	_____(Y/N)
d) Drivers handbook and service schedule supplied.	1 per vehicle	_____(Y/N)
e) Manufacturer's standard tool kit supplied	1 per vehicle	_____(Y/N)

vii) OTHER REQUIREMENT

a) Vehicle/bus to be registered by the Registrar of Motor Vehicles.	Yes (Mandatory)	_____(Y/N)
b) Vehicle/Bus to bear Institution logo and signage.	Yes	_____(Y/N)
c) Vehicle/bus will be inspected by the Chief Mechanical and Transport Engineer during all the construction stages and before delivery to the user.	Yes	_____(Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
d) Franchise holder (representative in Kenya). If not, specify relationship with franchise holder.	Yes Specify whether agent/dealer	_____(Y/N) -----
e) Availability of spares.	Indicate motor vehicle dealers who stock spare parts.	----- ----- -----
f) Names and addresses of dealers/agents where back-up service can be obtained indicating the location of the workshops facilities.	Specify	----- ----- ----- -----
g) Body construction and all fitments to conform to CAP 403 Kenya Traffic Act.	Yes (Mandatory)	_____(Y/N)

5. MTD-1087-014-16 SEMI-LUXURY LARGE BUS, 62 PASSENGERS

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
Make	-	
Model	-	
Country of origin	-	
Manufacturer's literature and specifications of bus chassis supplied.	Yes (mandatory)	------(Y/N)
Detailed engineering drawings and dimensions of the bus body supplied.	Yes (mandatory)	------(Y/N)

1. GENERAL

a) A standard production, large bus of latest design in the class, robust construction in current production.	Yes, Yes, Yes	------(Y/N)
b) Supplied new.	Yes (mandatory)	----- (Y/N)
c) Designed to heavy duty specifications, capable of operating in tropical conditions over paved and unpaved (rough) roads.	Yes, Yes	------(Y/N)
d) Suitable for transportation of passengers	Yes	------(Y/N)
e) To seat 62 adult passengers comfortably.	Yes	------(Y/N)

2. DIMENSIONS, WEIGHTS AND PERFORMANCE

a) Overall length, approx.	11,000 mm	----- mm
----------------------------	-----------	----------

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
b) Overall width, approx.	2,500 mm	----- mm
c) Overall height with body, approx.	3,500 mm	----- mm
d) Minimum passenger room height, approx.	1,800mm	-----mm
e) Wheelbase, approx.	6,000 mm	----- mm
f) Ground clearance, min.	250mm	----- mm
g) Max. G.V.W., approx.	16,000 Kg	----- Kg
h) Kerb weight, approx.	5,000 Kg	----- Kg
I) Max. gradient.	specify	----- degrees
j) Wading depth.	specify	----- mm

3. ENGINE

a) Make	-	
b) Model	-	
c) Country of origin	-	
d) Engine position, front/rear.	specify	
e) Engine type Diesel, 4 Stroke.	Yes, Yes	------(Y/N)
f) Engine mode of aspiration. (Natural/Turbocharged)	specify	
g) Engine cooling system, water.	Yes	------(Y/N)
h) Piston displacement, approx.	6,500-12,000 cc	----- cc
I) Number of cylinders.	6	----- No.
j) Maximum power output, (kW / rpm), min.	150KW/2500rpm	----- KW/rpm
k) Maximum torque developed (Nm / rpm), min.	800Nm/1500rpm	----- Nm/rpm
l) Air filter, disposable/oil bath	specify	
m) Oil and fuel filter type, replaceable.	Yes	------(Y/N)
n) Average fuel consumption (on full load)	specify	----- Km/l
o) Fuel tank capacity, approx.	200 lt	----- lt

4. CLUTCH AND TRANSMISSION

a) Clutch type, dry, single plate .	Yes, Yes	------(Y/N)
-------------------------------------	----------	-------------

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
b) Hydraulic, clutch actuation.	Yes	------(Y/N)
c) All synchromesh gearbox, with 2 speed reduction transfer gearbox.	Yes, Yes	------(Y/N)
d) Transmission speeds	5 speed	----- speed
e) Gear box type, synchromesh	Yes	------(Y/N)
f) Drive configuration, 4x2	Yes	------(Y/N)

5. BRAKES AND TYRES

a) Assisted hydraulic brake system.	Yes, Yes	------(Y/N)
c) Mechanical Parking brake.	Yes	------(Y/N)
d) Tyre tread, dual, for highway and x-country operation.	Yes	------(Y/N)
e) Tyre (size) locally available.	Yes	------(Y/N)
f) Optimum tyre size.	specify	

6. SUSPENSION AND STEERING

a) Independent Heavy duty front and rear suspension.	Yes	------(Y/N)
b) Heavy duty leaf or coil springs with telescopic dampers.	specify front	
	rear	
c) Manual/Assisted steering.	assisted	
d) Right hand drive steering.	Yes	------(Y/N)
e) Drivers seat adjustable	Yes	------(Y/N)

7. ELECTRICAL SYSTEM AND INSTRUMENTS

a) System voltage, negative earth, with alternator charging.	24V, Yes	----- (Y/N)
b) Battery capacity.	120AH, 2x12V.	-----
c) Full lighting to conform to Cap.403 Subs.23 Kenya Traffic Act.	Yes	----- (Y/N)
d) Standard instruments, gauges and warning lights for charging circuit, oil pressure, coolant, temperature, buzzer for air pressure etc.	Yes, Yes, Yes	----- (Y/N)
e) Lamps - 2 heads, parking indicator and tail to conform to Kenya Traffic Act.	Yes, Yes, Yes	------(Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION		REQUIRED	TENDERER'S
8	EQUIPMENT (ACCESSORIES) ETC		
a)	Vehicle to be fitted with electronic speed Governor	Mandatory	------(Y/N)
b)	Governor to limit maximum speed to 80km/hr	Mandatory	------(Y/N)
c)	Governor to be tamper proof	Mandatory	------(Y/N)
d)	Governor to be inspected by CM&TE before delivery.	Mandatory	------(Y/N)
e)	Heavy duty front fender, fitted	Yes	_____ (Y/N)
f)	Jack, wheel brace and manufacturer's standard tools, supplied.	Yes	_____ (Y/N)
g)	Windscreen sun strip fitted on both sides.	Yes	_____ (Y/N)
h)	Rear view mirrors supplied, 2no. external, 1no. internal.	Yes	_____ (Y/N)
i)	FM, MW, SW radio fitted.	Yes	_____ (Y/N)
j)	Stereo cassette recorder fitted.	Yes	_____ (Y/N)
k)	Any other equipment supplied.	specify	

B. BODY CONSTRUCTION DETAILS

9.	<u>GENERAL</u>		
a)	Manufacturer's specifications and detailed engineering drawings (Showing seating arrangement etc) of body supplied.	Yes (MANDATORY)	------(Y/N)
b)	Coach construction and other fitments to comply with CAP 403- Kenya Traffic Act.	Yes	----- (Y/N)

10. BODY CONSTRUCTION

a)	Body to be mounted onto the chassis by equally spaced channel sections convenient for door and wheels.	Yes	------(Y/N)
b)	Cross bearers, mild steel channel section:	Dimension: 100mmx50mmx6mm	-----
		No. min 9	-----
c)	Cross bearers secured to chassis by bolted angle iron sections or other suitable section.	specify	
d)	Driver's cabin to be enclosed / caged to prevent interference from the passengers.	Yes	------(Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
e) Body side pillars secured to cross bearers by gussets and welding reinforced properly by box sections.	Yes	------(Y/N)
f) Side pillars of angle iron/mild steel top hat sections, min spacing approximately	40mmx40mmx3m/ 220mmx40mmx40m mx3mm 1 m apart spacing section.	
g) Roof sticks to be of box sections and curved to give an internal radius to pilfers , min.	40mmx40mmx3m/ 220mmx40mmx40m mx3mm radius 300mm	
h) Roof reinforced by top hat iron longitudinal sections. min No.	3 No.	-----No
I) Body to be of double skin construction	Yes	------(Y/N)
j) Exterior panels to be of light alloy material while the interior is plywood covered by Formica.	specify material	
k) Panels to be secured to frame by sealed pop rivets or spot welding or any other acceptable method	specify method	
l) Floor covered with non-slip chequered alloy plate.	Yes	------(Y/N)
m) All inspection covers on floor to be close fit secured by locks and of adequate dimensions for access to units for maintenance etc.	Yes	------(Y/N)
n) Wheel arches made from non-slip mild steel plate lined with noise deadening material.	Yes	------(Y/N)

10 DOORS, SEATS, WINDOWS, BODY FINISHING ETC.

a) Lockable passenger door towards front (at a reasonable distance from front) opening inwards.	Yes (Mandatory)	------(Y/N)
b) Mild steel non-slip chequered steps provided for the passenger door.	Yes	------(Y/N)
c) Lockable driver door to open outwards with suitable non-slip steps provided for easy access	Yes	------(Y/N)
d) Sitting arrangement	specify	
e) Driver's cabin to be enclosed to avoid interference from the passengers.	Yes	------(Y/N)
f) All seats cushioned and covered with hard wearing upholstery. Seating cushion and back rest foam thickness, min	Yes 100mm, 50mm respectively.	------(Y/N)
g) All seats to be fitted with safety belts conforming to KEBS 06-664: 1985 standard	Yes (Mandatory)	------(Y/N)
h) All seats fitted with integral head rests and chrome plated grab handles	Yes	------(Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
i) Seat spacing between rows, approx.	750mm	----- mm
j) Lockable boot (with keys) located at rear for the spare wheel, jack and tool kit with a runner and dust seal to keep away rain.	Yes	------(Y/N)
k) Chrome plated roof hand rail to run the entire length of bus.	Yes	------(Y/N)
l) Two piece laminated front and rear windshield fitted.	Yes	------(Y/N)
m) All other windows to be of clear toughened glass.	Yes	------(Y/N)
n) Panoramic (wide view) sliding window fitted in aluminium frame and lockable from inside.	Yes	------(Y/N)
o) Suitable size 2 No. ventilators on front panel of body, with insect excluding gauze, with control inside bus.	Yes	------(Y/N)
p) Body panels to be thoroughly cleaned before painting. Both internal and external finish to be preceded by primer coat and intercoat.	Yes	------(Y/N)
q) Interior roof rack fitted on both sides of roof.	Yes	------(Y/N)
r) Over head carrier fitted on top of bus	Yes	------(Y/N)
s) Suitable ladders fitted on the sides	Yes	------(Y/N)
t) High gloss finish colour both for internal and external to be specified by the user.	Yes	------(Y/N)
u) Body underparts and floor to be painted chassis black colour.	Yes	------(Y/N)
v) Suitable window curtain/curtain rails fitted	Yes	------(Y/N)

11. ELECTRICAL SYSTEM, ACCESSORIES ETC.

a) Adequate fluorescent tube lighting for passenger deck, with switch operated by driver.	Yes	------(Y/N)
b) Courtesy bell/buzzer provided with one switch above door.	Yes	------(Y/N)
c) Each windscreen piece to have its own wiper.	Yes	------(Y/N)
d) 2 No. external and 1 No. internal rear view mirrors fitted.	Yes	------(Y/N)
e) Windscreen sun strip fitted on both sides.	Yes	------(Y/N)
f) Chevrons and reflectors fitted at rear.	Yes	------(Y/N)
g) 1 No. suitably positioned fire extinguisher supplied.	Yes	------(Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
h) 1 No. first aid kit fitted.	Yes	------(Y/N)

12 BODY WARRANTY

a) Specimen of vehicle/body warranty to be submitted when tendering.	Yes	------(Y/N)
b) Each vehicle supplied to carry a statement of warranty.	Yes (Mandatory)	------(Y/N)
c) Warranty duration:	min- 12 Months or 40,000 Km which ever occurs first.	-----Months ----- Km

13 MANUALS

a) All literature in English language.	Yes	_____(Y/N)
b) Repair manuals supplied.	1 per vehicle	_____(Y/N)
c) Parts catalogue supplied.	1 per vehicle	_____(Y/N)
d) Drivers handbook and service schedule supplied.	1 per vehicle	_____(Y/N)

14 OTHER REQUIREMENTS

a) Bus to be registered by the Registrar of Motor Vehicles.	Yes (Mandatory)	_____(Y/N)
b) Bus to bear Institution logo.	Yes	_____(Y/N)
c) Vehicle/bus will be inspected by the Chief Mechanical and Transport Engineer during all the construction stages and before delivery to the user.	Yes (Mandatory)	_____(Y/N)
d) Franchise holder (representative in Kenya). If not, specify relationship with franchise holder.	Yes Specify whether agent/dealer	_____(Y/N) -----
e) Availability of spares.	Indicate motor vehicle dealers who stock spare parts.	----- ----- ----- -----
f) Names and addresses of dealers/agents where back-up service can be obtained indicating the location of the workshops facilities.	Specify	----- ----- ----- -----

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
g) Body construction and all fitments to conform to CAP 403 Kenya Traffic Act and have an inspection certificate from the vehicle inspection centre.	Yes (Mandatory)	----- _____(Y/N)

6. MTD-1271-046-16 EXECUTIVE MICROBUS, DIESEL, 9 PASSENGERS

TENDERER'S Column to be completed by ALL TENDERER'S

SPECIFICATION	REQUIREMENT	TENDERER'S
MAKE	-	
MODEL	-	
COUNTRY OF ORIGIN	-	
MANUFACTURER'S LITERATURE AND SPECIFICATIONS SUPPLIED (To be attached to this specification form.)	Yes (MANDATORY)	_____(Y/N)

1. GENERAL

a) A Standard production 9 passenger micro bus of latest design in current production.	Yes, Yes, Yes	_____(Y/N)
b) Supplied new.	Yes	_____(Y/N)
c) Designed to heavy duty export specifications, suitable of operating in tropical conditions	Yes, Yes	_____(Y/N)
d) Suitable for passenger transportation over paved and un-paved (rough) roads.	Yes	_____(Y/N)
e) To seat a maximum of 9 adult passengers comfortably.	Yes	_____(Y/N)

2. DIMENSIONS AND WEIGHTS

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by ALL TENDERER'S

a) Overall length, approx.	4,700mm	----- mm
b) Overall width, approx.	1,700mm	----- mm
c) Overall height, approx.	2,000mm	----- mm
d) Wheelbase, approx.	2,600mm	----- mm
e) Max. G.V.W, approx.	2,800Kg	----- kg
f) Kerb weight, approx.	1,600Kg	-----kg
g) Passenger room height, min.	1,370mm	-----mm

3. ENGINE

a) Make	-	
b) Model	-	
c) Country of origin	-	
d) Engine performance curves supplied.	Yes	_____ (Y/N)
e) Engine type, Diesel	Yes	_____ (Y/N)
f) 4 Stroke, water cooled.	Yes, Yes	_____ (Y/N)
g) Piston displacement , approx.	2400-2800cc	----- cc
h) Number of cylinders	4	----- no.
i) Maximum power output,(Kw /rpm), min.	60 Kw/ 4800rpm	----- Kw rpm
j) Maximum torque developed,(NM/rpm), min.	170Nm/2,800rpm	-----Nm rpm
k) Air filter, disposable/oil bath	specify	-----
l) Oil and fuel filter type	Disposable	-----
m) Average fuel consumption (on full load) at		
a) <u>Urban driving</u>	specify	-----Km/l
b) <u>Steady 50Km/h</u>	specify	Km/l

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by ALL TENDERER'S

	c) Steady 80Km/h	specify	Km/l
n)	Fuel tank capacity, approx.	60Lt	Lt
o)	Extra fuel tank fitment.	specify	

4. CLUTCH AND TRANSMISSION

a)	Clutch, coil spring type, dry single plate,	specify	
b)	All synchromesh gearbox.	Yes	_____ (Y/N)
c)	Gear speeds, min	4F,1R	

5. BRAKES AND TYRES

a)	Brakes, hydraulic - internal expanding drum	Yes, Yes	_____ (Y/N)
b)	Mechanical parking brake, to act on rear wheels	Yes	_____ (Y/N)
c)	Locally available single purpose tires	Yes	_____ (Y/N)
d)	Optimum tire size	specify	

6. SUSPENSION AND STEERING

a)	Independent, heavy duty front and rear suspension	Yes, Yes	_____ (Y/N)
b)	Heavy duty leaf and coil springs with hydraulic (telescopic) shock absorbers.	specify front rear	
c)	Manual or assisted steering	specify	
d)	Right Hand drive steering	Yes	_____ (Y/N)

7. ELECTRICAL SYSTEM AND INSTRUMENTS

a)	System voltage, negative earth, with alternator charging	12V, Yes, Yes	
b)	Battery capacity, approx.	1x12V, 50Ah	
c)	Full lighting to conform to Cap 403 Subs.23-Kenya Traffic Act.	Yes	_____ (Y/N)
d)	Standard instruments, gauges and warning lights for charging circuit, oil pressure, coolant temperature etc.	Yes	_____ (Y/N)

8. BODY, SEATS AND FINISH

a)	All body work to be protected against corrosion for seaside operation.	Yes	_____ (Y/N)
----	--	-----	-------------

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by ALL TENDERER'S

b)	Long lasting, high quality, upholstery.	Specify material.	
c)	High gloss body finish, colour to be specified by the user.	Yes	_____ (Y/N)
d)	Seating capacity (10 seats).	Specify No.	_____ (Y/N)
e)	Seating configuration	specify	
f)	Spacious body with adequate/comfortable legroom.	Yes	_____ (Y/N)
g)	Body floor covered with high quality carpet.	Specify material	
h)	All seats to have safety belts that conform to the KEBS standard No. 06-664 of 1985.	Mandatory	_____ (Y/N)

9. EQUIPMENT (ACCESSORIES) ETC

a)	Vehicle to be fitted with electronic speed Governor.	Mandatory	_____ (Y/N)
b)	Governor to limit maximum speed to 80km/hr	Mandatory	_____ (Y/N)
c)	Governor to be tamper proof	Mandatory	_____ (Y/N)
d)	Governor to be inspected by CM&TE before delivery.	Mandatory	_____ (Y/N)
e)	Heavy duty front fender, fitted	Yes	_____ (Y/N)
f)	Jack, wheel brace and manufacturer's standard tools, supplied.	Yes	_____ (Y/N)
g)	Sunvivors supplied, 2no.	Yes	_____ (Y/N)
h)	Rear view mirrors supplied, 2no. external, 1no. internal.	Yes	_____ (Y/N)
i)	FM, MW, SW radio fitted.	Yes	_____ (Y/N)
j)	Stereo cassette recorder fitted.	Yes	_____ (Y/N)
k)	Windows to have curtains/curtain rails.	Yes	_____ (Y/N)
k)	Any other equipment supplied.	specify	

10. WARRANTY

a)	Each vehicle supplied should carry a statement of warranty.	Yes	_____ (Y/N)
b)	Vehicle warranty min., 40,000 Km or 12 Months whichever occurs first.	specify	Km Months

11. MANUALS

a)	All literature in English language	Yes	_____ (Y/N)
----	------------------------------------	-----	-------------

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by ALL TENDERER'S

b) Repair Manual, supplied.	1 per Vehicle	_____ (Y/N)
c) Parts catalogue, supplied	One set per vehicle	_____ (Y/N)
d) Drivers handbook and service schedule supplied.	1 per Vehicle	_____ (Y/N)

12. OTHER REQUIREMENT

a) Vehicle to be registered with the Registrar of Motor Vehicles.	Yes	_____ (Y/N)
b) Vehicle to be inspected by the Chief Mechanical and Transport Engineer for compliance with the specification prior to delivery to the user.	Yes(Mandatory)	_____ (Y/N)
c) Firm@s Status: (Franchise holder/ Dealer/Agent)	Specify	
d) Availability of spares	Indicate motor vehicle dealers who stock spare parts.	
e) Indicate names and physical addresses of dealers/agents where back-up service can be obtained.	Specify	
f) Body construction and all fitments to conform to CAP 403 Kenya Traffic Act and to have a certificate from the vehicle inspection centre.	Yes (Mandatory)	_____ (Y/N)

7. MTD-1846-040-16 SEMI-LUXURY LARGE BUS, 67 PASSENGERS

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
Make	-	
Model	-	
Country of origin	-	
Manufacturer's literature and specifications of bus chassis supplied.	Yes (mandatory)	----- (Y/N)
Detailed engineering drawings and dimensions of the bus body supplied.	Yes (mandatory)	----- (Y/N)

1. GENERAL

a) A standard production, large bus of latest design in the class, robust construction in current production.	Yes, Yes, Yes	----- (Y/N)
b) Supplied new.	Yes (mandatory)	----- (Y/N)
Designed to heavy duty specifications, capable of		

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
c) operating in tropical conditions over paved and unpaved (rough) roads.	Yes, Yes	------(Y/N)
d) Suitable for transportation of passengers	Yes	------(Y/N)
e) To seat 62 adult passengers comfortably.	Yes	------(Y/N)

2. DIMENSIONS, WEIGHTS AND PERFORMANCE

a) Overall length, approx.	12,000 mm	----- mm
b) Overall width, approx.	2,500 mm	----- mm
c) Overall height with body, approx.	3,500 mm	----- mm
d) Minimum passenger room height, approx.	1,800mm	-----mm
e) Wheelbase, approx.	6,000 mm	----- mm
f) Ground clearance, min.	250mm	----- mm
g) Max. G.V.W., approx.	16,000 Kg	----- Kg
h) Kerb weight, approx.	5,000 Kg	----- Kg
I) Max. gradient.	specify	----- degrees
j) Wading depth.	specify	----- mm

3. ENGINE

a) Make	-	
b) Model	-	
c) Country of origin	-	
d) Engine position, front/rear.	specify	
e) Engine type Diesel, 4 Stroke.	Yes, Yes	------(Y/N)
f) Engine mode of aspiration. (Natural/Turbocharged)	specify	
g) Engine cooling system, water.	Yes	------(Y/N)
h) Piston displacement, approx.	6,500-12,000 cc	----- cc
I) Number of cylinders.	6	----- No.
j) Maximum power output, (kW / rpm), min.	150KW/2500rpm	----- KW/rpm
k) Maximum torque developed (Nm / rpm), min.	700Nm/1500rpm	----- Nm/rpm

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
l) Air filter, disposable/oil bath	specify	
m) Oil and fuel filter type, replaceable.	Yes	------(Y/N)
n) Average fuel consumption (on full load)	specify	----- Km/l
o) Fuel tank capacity, approx.	200 lt	----- lt

4. CLUTCH AND TRANSMISSION

a) Clutch type, dry, single plate .	Yes, Yes	------(Y/N)
b) Hydraulic, clutch actuation.	Yes	------(Y/N)
c) All synchromesh gearbox, with 2 speed reduction transfer gearbox.	Yes, Yes	------(Y/N)
d) Transmission speeds	5 speed	----- speed
e) Gear box type, synchromesh	Yes	------(Y/N)
f) Drive configuration, 4x2	Yes	------(Y/N)

5. BRAKES AND TYRES

a) Assisted hydraulic brake system.	Yes, Yes	------(Y/N)
c) Mechanical Parking brake.	Yes	------(Y/N)
d) Tyre tread, dual, for highway and x-country operation.	Yes	------(Y/N)
e) Tyre (size) locally available.	Yes	------(Y/N)
f) Optimum tyre size.	specify	

6. SUSPENSION AND STEERING

a) Independent Heavy duty front and rear suspension.	Yes	------(Y/N)
b) Heavy duty leaf or coil springs with telescopic dampers.	specify front	
	rear	
c) Manual/Assisted steering.	assisted	
d) Right hand drive steering.	Yes	------(Y/N)
e) Drivers seat adjustable	Yes	------(Y/N)

7. ELECTRICAL SYSTEM AND INSTRUMENTS

a) System voltage, negative earth, with alternator charging.	24V, Yes	----- (Y/N)
--	----------	-------------

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
b) Battery capacity.	120AH, 2x12V.	-----
c) Full lighting to conform to Cap.403 Subs.23 Kenya Traffic Act.	Yes	----- (Y/N)
d) Standard instruments, gauges and warning lights for charging circuit, oil pressure, coolant, temperature, buzzer for air pressure etc.	Yes, Yes, Yes	----- (Y/N)
e) Lamps - 2 heads, parking indicator and tail to conform to Kenya Traffic Act.	Yes, Yes, Yes	----- (Y/N)

8 EQUIPMENT (ACCESSORIES) ETC

a) Vehicle to be fitted with electronic speed Governor	Mandatory	----- (Y/N)
b) Governor to limit maximum speed to 80km/hr	Mandatory	----- (Y/N)
c) Governor to be tamper proof	Mandatory	----- (Y/N)
d) Governor to be inspected by CM&TE before delivery.	Mandatory	----- (Y/N)
e) Heavy duty front fender, fitted	Yes	_____ (Y/N)
f) Jack, wheel brace and manufacturer's standard tools, supplied.	Yes	_____ (Y/N)
g) Windscreen sun strip fitted on both sides.	Yes	_____ (Y/N)
h) Rear view mirrors supplied, 2no. external, 1no. internal.	Yes	_____ (Y/N)
i) FM, MW, SW radio fitted.	Yes	_____ (Y/N)
j) Stereo cassette recorder fitted.	Yes	_____ (Y/N)
k) Any other equipment supplied.	specify	

B. BODY CONSTRUCTION DETAILS

9. GENERAL		
a) Manufacturer's specifications and detailed engineering drawings (Showing seating arrangement etc) of body supplied.	Yes (MANDATORY)	----- (Y/N)
b) Coach construction and other fitments to comply with CAP 403- Kenya Traffic Act.	Yes	----- (Y/N)

10. BODY CONSTRUCTION

a) Body to be mounted onto the chassis by equally	Yes	----- (Y/N)
---	-----	-------------

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
spaced channel sections convenient for door and wheels.		
b) Cross bearers, mild steel channel section:	Dimension: 100mmx50mmx6mm	-----
	No. min 9	-----
c) Cross bearers secured to chassis by bolted angle iron sections or other suitable section.	specify	
d) Driver's cabin to be enclosed / caged to prevent interference from the passengers.	Yes	------(Y/N)
e) Body side pillars secured to cross bearers by gussets and welding reinforced properly by box sections.	Yes	------(Y/N)
f) Side pillars of angle iron/mild steel top hat sections, min spacing approximately	40mmx40mmx3mm 220mmx40mmx40m mx3mm 1 m apart spacing section.	
g) Roof sticks to be of box sections and curved to give an internal radius to pilfers , min.	40mmx40mmx3mm 220mmx40mmx40m mx3mm radius 300mm	
h) Roof reinforced by top hat iron longitudinal sections. min No.	3 No.	-----No
I) Body to be of double skin construction	Yes	------(Y/N)
j) Exterior panels to be of light alloy material while the interior is plywood covered by Formica.	specify material	
k) Panels to be secured to frame by sealed pop rivets or spot welding or any other acceptable method	specify method	
l) Floor covered with non-slip chequered alloy plate.	Yes	------(Y/N)
m) All inspection covers on floor to be close fit secured by locks and of adequate dimensions for access to units for maintenance etc.	Yes	------(Y/N)
n) Wheel arches made from non-slip mild steel plate lined with noise deadening material.	Yes	------(Y/N)

10 DOORS, SEATS, WINDOWS, BODY FINISHING ETC.

a) Lockable passenger door towards front (at a reasonable distance from front) opening inwards.	Yes (Mandatory)	------(Y/N)
b) Mild steel non-slip chequered steps provided for the passenger door.	Yes	------(Y/N)
c) Lockable driver door to open outwards with suitable non-slip steps provided for easy access	Yes	------(Y/N)

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
d) Sitting arrangement	specify	
e) Driver's cabin to be enclosed to avoid interference from the passengers.	Yes	------(Y/N)
f) All seats cushioned and covered with hard wearing upholstery. Seating cushion and back rest foam thickness, min	Yes 100mm, 50mm respectively.	------(Y/N)
g) All seats to be fitted with safety belts conforming to KEBS 06-664: 1985 standard	Yes (Mandatory)	------(Y/N)
h) All seats fitted with integral head rests and chrome plated grab handles	Yes	------(Y/N)
i) Seat spacing between rows, approx.	750mm	----- mm
j) Lockable boot (with keys) located at rear for the spare wheel, jack and tool kit with a runner and dust seal to keep away rain.	Yes	------(Y/N)
k) Chrome plated roof hand rail to run the entire length of bus.	Yes	------(Y/N)
l) Two piece laminated front and rear windshield fitted.	Yes	------(Y/N)
m) All other windows to be of clear toughened glass.	Yes	------(Y/N)
n) Panoramic (wide view) sliding window fitted in aluminium frame and lockable from inside.	Yes	------(Y/N)
o) Suitable size 2 No. ventilators on front panel of body, with insect excluding gauze, with control inside bus.	Yes	------(Y/N)
p) Body panels to be thoroughly cleaned before painting. Both internal and external finish to be preceded by primer coat and intercoat.	Yes	------(Y/N)
q) Interior roof rack fitted on both sides of roof.	Yes	------(Y/N)
r) Over head carrier fitted on top of bus	Yes	------(Y/N)
s) Suitable ladders fitted on the sides	Yes	------(Y/N)
t) High gloss finish colour both for internal and external to be specified by the user.	Yes	------(Y/N)
u) Body underparts and floor to be painted chassis black colour.	Yes	------(Y/N)
v) Suitable window curtain/curtain rails fitted	Yes	------(Y/N)

11. ELECTRICAL SYSTEM, ACCESSORIES ETC.

a) Adequate fluorescent tube lighting for passenger	Yes	------(Y/N)
---	-----	-------------

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
deck, with switch operated by driver.		
b) Courtesy bell/buzzer provided with one switch above door.	Yes	------(Y/N)
c) Each windscreen piece to have its own wiper.	Yes	------(Y/N)
d) 2 No. external and 1 No. internal rear view mirrors fitted.	Yes	------(Y/N)
e) Windscreen sun strip fitted on both sides.	Yes	------(Y/N)
f) Chevrons and reflectors fitted at rear.	Yes	------(Y/N)
g) 1 No. suitably positioned fire extinguisher supplied.	Yes	------(Y/N)
h) 1 No. first aid kit fitted.	Yes	------(Y/N)

12 BODY WARRANTY

a) Specimen of vehicle/body warranty to be submitted when tendering.	Yes	------(Y/N)
b) Each vehicle supplied to carry a statement of warranty.	Yes (Mandatory)	------(Y/N)
c) Warranty duration:	min- 12 Months or 40,000 Km which ever occurs first.	-----Months ----- Km

13 MANUALS

a) All literature in English language.	Yes	_____(Y/N)
b) Repair manuals supplied.	1 per vehicle	_____(Y/N)
c) Parts catalogue supplied.	1 per vehicle	_____(Y/N)
d) Drivers handbook and service schedule supplied.	1 per vehicle	_____(Y/N)

14 OTHER REQUIREMENTS

a) Bus to be registered by the Registrar of Motor Vehicles.	Yes (Mandatory)	_____(Y/N)
b) Bus to bear Institution logo.	Yes	_____(Y/N)
c) Vehicle/bus will be inspected by the Chief Mechanical and Transport Engineer during all the construction stages and before delivery to the user.	Yes (Mandatory)	_____(Y/N)
d) Franchise holder (representative in Kenya).	Yes	_____(Y/N)

TENDERER'S Column to be completed by tenderer

SPECIFICATION	REQUIRED	TENDERER'S
If not, specify relationship with franchise holder.	Specify whether agent/dealer	-----
e) Availability of spares.	Indicate motor vehicle dealers who stock spare parts.	----- ----- ----- -----
f) Names and addresses of dealers/agents where back-up service can be obtained indicating the location of the workshops facilities.	Specify	----- ----- ----- -----
g) Body construction and all fitments to conform to CAP 403 Kenya Traffic Act and have an inspection certificate from the vehicle inspection centre.	Yes (Mandatory)	_____(Y/N)

SECTION VII – EVALUATION CRITERIA

7.1 Preliminary evaluation of tenders shall be done on the basis of the following criteria.

Whether or not: -

- a) The tender has been submitted in the required format.
- b) The tender security submitted is in the required form, amount and validity period.
- c) The tender form has been signed by the person lawfully authorized to do so.
- d) The required numbers of copies of the tender have been submitted.
- e) The tender is valid for the period required
- f) All required documents and information have been submitted.
- g) Samples / Brochures have been submitted accordingly.

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

- 7.2 Upon completion of Preliminary Evaluation, Technical Evaluation shall then be done by comparing each tender to the technical requirements in the tender document.
- 7.3 Non conforming tenders will be rejected at this stage and only technically compliant tenders will be subjected to financial evaluation.
- 7.4 **TENDERERS ARE ADVISED TO QUOTE THEIR BID PRICES IN THE ORIGINAL PRICE SCHEDULE PROVIDED IN THIS TENDER DOCUMENT. INTRODUCTION OF A PRICE SCHEDULE DIFFERENT FROM THE ONE PROVIDED IN THIS DOCUMENT IN SECTION (VI) WILL LEAD TO DISQUALIFICATION.**
- 7.7 The tenderer will be required to submit the following evidence as prove of qualifications to perform the contract if its tender is accepted:
- a.) In the case of a tenderer offering to supply good under the contract that the bidder manufactures or otherwise produces (using ingredients supplied by primary manufacturers) satisfactory evidence that the bidder,
 - i) Has manufactured and marketed the offered goods for two (2) years and similar goods for at least 5 years.
 - ii) Has demonstrated compliance with the relevant quality standards.In addition to (i) & (ii) above the tenderer shall also submit the following information:
 - iii) a statement of installed manufacturing capacity
 - iv) Copies of its audited financial statements
 - v) details of on-site quality control facilities and services and range of tests conducted.
 - b.) In the case of a bidder offering to supply goods under the contract that the bidder does not manufacture, satisfactory evidence that the bidder:
 - i) has been duly authorized by the manufacturer(s) of the goods that meets the criteria under (a) above to supply the goods in the purchaser's country and
 - ii) has marketed the offered goods in this country.In addition to (i) & (ii) above the tenderer shall also submit the following information:
 - iii) list of major supply contracts concerning goods mentioned above.
 - iv) copies of its audited financial statements.

SECTION VIII - STANDARD FORMS

Notes on the sample Forms

- 8.1 FORM OF TENDER** - The form o tender must be completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representatives of the tenderer.
- 8.2 CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM** - This form must be completed by the tenderer and submitted with the tender documents.

Supplies Branch; Tender No. SB/9/2016/2017: **SUPPLY OF MICROBUS, DIESEL**

- 8.3 TENDER SECURITY FORM** - When required by the tender documents the tender shall provide the tender security either in the form included herein or in another format acceptable to the procuring entity.
- 8.4 CONTRACT FORM-** The Contract Form shall not be completed by the tenderer at the time of submitting the tender. The Contract Form shall be completed after contract award and should incorporate the accepted contract price.
- 8.5 PERFORMANCE SECURITY FORM** - The performance security form should not be completed by the tenderers at the time of tender preparation. Only the successful tenderer will be required to provide performance security in the form provided herein or in another form acceptable to the procuring entity.
- 8.6 BANK GUARANTEE FOR ADVANCE PAYMENT FORM** - When Advance payment is requested for by the successful bidder and agreed by the procuring entity, this form must be completed fully and duly signed by the authorized officials of the bank.
- 8.7 MANUFACTURERS AUTHORIZATION FORM** - When required by the tender documents this form must be completed and submitted with the tender documents. This form will be completed by the manufacturer of the goods where the tenderer is an agent.
- 8.8 LETTER OF NOTIFICATION OF AWARD** - This form will be used by the procuring to notify the successful tenderers after contract award. Both the successful and unsuccessful tenderer shall be notified of the results of contract award at same time.

8.1 - FORM OF TENDER

Date _____

Tender No. _____

To: _____

[name and address of procuring entity]

Gentlemen and/or Ladies:

Supplies Branch; Tender No. SB/9/2016/2017: SUPPLY OF MICROBUS, DIESEL

1. Having examined the tender documents including Addenda Nos. *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply deliver, install and commission (..... *(insert equipment description)* in conformity with the said tender documents for the sum of *(total tender amount in words and figures)* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Tender.
2. We undertake, if our Tender is accepted, to deliver install and commission the equipment in accordance with the delivery schedule specified in the Schedule of Requirements.
3. If our Tender is accepted, we will obtain the guarantee of a bank in a sum of equivalent to _____ percent of the Contract Price for the due performance of the Contract , in the form prescribed by *(Procuring entity)*.
4. We agree to abide by this Tender for a period of *[number]* days from the date fixed for tender opening of the Instructions to tenderers, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
5. This Tender, together with your written acceptance thereof and your notification of award, shall constitute a Contract, between us. Subject to signing of the Contract by the parties.
6. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this _____ day of _____ 20 _____

[signature]

[in the capacity of]

Duly authorized to sign tender for an on behalf of _____

8.2 - CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

You are requested to give the particulars indicated in Part 1 and either Part 2(a), 2(b) or 2 (c) whichever applied to your type of business

You are advised that it is a serious offence to give false information on this form

Part 1 - General:

Business Name

Location of business premises.

Plot No..... Street/Road

Postal Address Tel No. Fax E mail

Nature of Business ,

Registration Certificate No.

Maximum value of business which you can handle at any one time - Kshs.

Name of your bankers Branch

Part 2 (a) - Sole Proprietor

Your name in full Age

Nationality Country of origin

Citizenship details

Part 2 (b) Partnership

Given details of partners as follows:

	Name	Nationality	Citizenship Details	Shares
1.
2.
3.
4.

Part 2 (c) - Registered Company

Private or Public

State the nominal and issued capital of company-

Nominal Kshs.

Issued Kshs.

Given details of all directors as follows

	Name	Nationality	Citizenship Details	Shares
1.
2.
3.
4.
5.

Date Signature of Candidate

If a Kenya Citizen, indicate under "Citizenship Details" whether by Birth, Naturalization or registration.

8.3 - TENDER SECURITY FORM

Whereas [name of the tenderer]
(hereinafter called “the tenderer”) has submitted its tender dated [date of submission of tender] for the supply, installation and commissioning of [name and/or description of the equipment]
(hereinafter called “the Tender”) KNOW ALL PEOPLE
by these presents that WE of
..... having our registered office at
(hereinafter called “the Bank”), are bound unto [name of Procuring entity]
(hereinafter called “the Procuring entity”) in the sum of for which
payment well and truly to be made to the said Procuring entity, the Bank binds itself, its successors,
and assigns by these presents. Sealed with the Common Seal of the said Bank this _____
_____ day of _____ 20 _____.

THE CONDITIONS of this obligation are:-

1. If the tenderer withdraws its Tender during the period of tender validity specified by the tenderer on the Tender Form; or
2. If the tenderer, having been notified of the acceptance of its Tender by the Procuring entity during the period of tender validity:
 - (a) fails or refuses to execute the Contract Form, if required; or
 - (b) fails or refuses to furnish the performance security in accordance with the Instructions to tenderers;

We undertake to pay to the Procuring entity up to the above amount upon receipt of its first written demand, without the Procuring entity having to substantiate its demand, provided that in its demand the Procuring entity will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This tender guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the above date.

[signature of the bank]
(Amend accordingly if provided by Insurance Company)

8.4 - CONTRACT FORM

THIS AGREEMENT made the _____ day of _____ 20 _____ between [name of Procurement entity] of [country of Procurement entity] (hereinafter called “the Procuring entity) of the one part and [name of tenderer] of [city and country of tenderer] (hereinafter called “the tenderer”) of the other part;

WHEREAS the Procuring entity invited tenders for certain goods] and has accepted a tender by the tenderer for the supply of those goods in the sum of [contract price in words and figures] (hereinafter called “the Contract Price).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:
2. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:
 - (a) the Tender Form and the Price Schedule submitted by the tenderer
 - (b) the Schedule of Requirements
 - (c) the Technical Specifications
 - (d) the General Conditions of Contract
 - (e) the Special Conditions of contract; and
 - (f) the Procuring entity’s Notification of Award
3. In consideration of the payments to be made by the Procuring entity to the tenderer as hereinafter mentioned, the tender hereby covenants with the Procuring entity to provide the goods and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Procuring entity hereby covenants to pay the tenderer in consideration of the provisions of the goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by _____ the _____ (for the Procuring entity

Signed, sealed, delivered by _____ the _____ (for the tenderer in the presence of _____

(Amend accordingly if provided by Insurance Company)

8.5 - PERFORMANCE SECURITY FORM

To
[*name of Procuring entity*]

WHEREAS [*name of tenderer*] (hereinafter called “the tenderer”) has undertaken , in pursuance of Contract No. _____
[*reference number of the contract*] dated _____ 20 _____ to supply
..... [*description of goods*] (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the tenderer shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Tenderer’s performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the tenderer a guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible to you, on behalf of the tenderer, up to a total of [*amount of the guarantee in words and figure*] and we undertake to pay you, upon your first written demand declaring the tenderer to be in default under the Contract and without cavil or argument, any sum or sums within the limits of [*amount of guarantee*] as aforesaid, without you needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the _____ day of _____ 20 _____

Signed and seal of the Guarantors

[*name of bank or financial institution*]

[*address*]

[*date*]

8.6 - BANK GUARANTEE FOR ADVANCE PAYMENT FORM

To
[name of Procuring entity]

[name of tender]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends the General Conditions of Contract to provide for advance payment, [name and address of tenderer](hereinafter called “the tenderer”) shall deposit with the Procuring entity a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of [amount of guarantee in figures and words].

We, the [bank or financial institutions], as instructed by the tenderer, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the Procuring entity on its first demand without whatsoever right of objection on our part and without its first claim to the tenderer, in the amount not exceeding [amount of guarantee in figures and words]

We further agree that no change or addition to or other modification of the terms of the Contract to be performed there-under or of any of the Contract documents which may be made between the Procuring entity and the tenderer, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid in full effect from the date of the advance payment received by the tenderer under the Contract until [date].

Yours truly,

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

8.7 - MANUFACTURER'S AUTHORIZATION FORM

To *[name of the Procuring entity]*

WHEREAS*[name of the manufacturer]*
who are established and reputable manufacturers of *[name and/or description of the goods]* having factories at *[address of factory]* do hereby authorize *[name and address of Agent]* to submit a tender, and subsequently negotiate and sign the Contract with you against tender No. *[reference of the Tender]* for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Tenders.

[signature for and on behalf of manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent.

8.8 - LETTER OF NOTIFICATION OF AWARD

Address of Procuring Entity

To: _____

RE: Tender No. _____

Tender Name _____

This is to notify that the contract/s stated below under the above mentioned tender have been awarded to you.

1. Please acknowledge receipt of this letter of notification signifying your acceptance.
2. The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
3. You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.

(FULL PARTICULARS) _____

SIGNED FOR ACCOUNTING OFFICER